

wtWin Manual

wtWin · wtTux · wtMac

Your webtrees family tree as a desktop program

This manual is generated from the program's built-in help (key F1) and matches it exactly. Suggestions and questions: github.com/thobgg/app4webtrees/issues.

Contents

1	Getting started	1
1.1	Connect to webtrees	1
1.2	Family tree on this PC	2
1.3	Switching trees or servers	2
1.4	Language	2
1.5	Next	2
2	The main window	3
2.1	Navigator (default)	3
2.2	Tree in the centre	4
2.3	Family view	4
2.4	Local heritage book	5
2.5	Sources	6
2.6	Places	7
2.7	Tasks, bookmarks and recent changes	9
2.8	Sections: Home, Tree, Photos	9
2.9	View	9
2.10	Back, forward, history	10
2.11	Status bar	10
2.12	Tools (Tools menu)	10
3	Person sheet and editing	11
3.1	Layout	11
3.2	Paging	12
3.3	Editing	13
3.4	Merging individuals	14
3.5	Photos	15
3.6	Printing and sharing	15
3.7	GEDCOM-L	16
4	Search, go to, bookmarks	17
4.1	Go to	17
4.2	Start person	17
4.3	Bookmarks	17
4.4	History	17
4.5	Places, sources, duplicates	17
5	Person table	18
5.1	Sorting	18
5.2	Filtering	18
5.3	Working with the table	19
6	Charts	20
6.1	Using the preview	20
6.2	Chart types	21
6.3	Settings	22

6.4	Output	23
6.5	Large print	24
7	Lists	25
7.1	From the central person	25
7.2	Across the whole tree	27
8	Books	29
8.1	Three books	29
8.2	Settings	30
8.3	Saving	31
8.4	Large trees with many pictures	32
9	Plausibility check	33
9.1	Rules and limits	33
9.2	Working with findings	34
9.3	Printing	34
10	webtrees in the browser	35
10.1	The webtrees menu	35
10.2	A person in the browser	35
10.3	What stays in webtrees	35
10.4	Changes made in the program	35
11	Archive	36
11.1	Layout	36
11.2	Working with it	36
11.3	Adding files	36
11.4	Editing details	37
11.5	Faces on group photos	37
11.6	Postcards	37
11.7	Managing collections	38
11.8	Comparison with webtrees	38
11.9	Backing up	38
12	Family tree on this PC	39
12.1	Creating	39
12.2	Several family trees	39
12.3	Where the data is	39
12.4	Archive	40
12.5	Backup	40
12.6	Everything from webtrees	40
12.7	Moving to a NAS or web host	40
12.8	If something goes wrong	41
13	Keyboard shortcuts	42
13.1	Main window	42
13.2	Navigator	43
13.3	Family view	43
13.4	Person sheet	43
13.5	Chart preview	43
13.6	Navigator and tree	44

14 Questions, errors, privacy	45
14.1 Reporting questions and errors	45
14.2 What the program stores	45
14.3 Privacy in the tree	46
14.4 Unencrypted on the home network	46
14.5 Phone and tablet	46
14.6 Update check	46
14.7 Licence	46
14.8 Full manual	46

1 Getting started

wtWin (wtTux on Linux) shows and edits a webtrees family tree like a classic desktop genealogy program: menu bar, navigator, person sheet, charts, lists and books. The data lives either on a webtrees server (NAS or web host) or directly on this PC.

wtTux Adresse deiner webtrees-Seite. Auf dem Server muss das Modul „api4webtrees“ installiert sein. Am einfachsten: In webtrees im Menü „App“ auf „Mit wtTux verbinden“ klicken – wtTux übernimmt dann alles von selbst, du musst hier nichts eingeben. Von Hand: dort „Adresse kopieren“, wtTux setzt die Adresse hier ein; danach mit deinem webtrees-Benutzernamen und Passwort anmelden. Adresse Verbinden Die Adresse findest du im Browser: deine Familienseite öffnen und die Adresse oben kopieren – den Rest kürzt die App selbst.	Neuer Stammbaum auf diesem PC Neu anfangen oder vom bisherigen Programm umsteigen: wtTux legt deinen Stammbaum auf diesem Computer an. Kein Server, kein Passwort, kein Internet nötig. Soll die Familie später mitlesen, zieht der Stammbaum per GEDCOM-Export mit seinen Fotos auf eine NAS oder zu einem Webhoster um – wtTux bedienst du danach wie gewohnt. Name des Stammbaums Mein Stammbaum Stammbaum anlegen Aus GEDCOM-Datei übernehmen ... Umstieg von einem anderen Programm: dort als GEDCOM (.ged) exportieren und hier übernehmen – Personen, Familien, Quellen und Notizen. Die Datei selbst bleibt unverändert. Im Hintergrund arbeitet webtrees: Alles, was die webtrees-Seite kann, erreichst du über „webtrees im Browser öffnen“.
--	--

On first start, both ways stand side by side.

1.1 Connect to webtrees

Requirement: webtrees 2.2 with the module **api4webtrees**. Whoever runs the server installs the module; the nas4webtrees package includes it.

Easiest, no typing: sign in to webtrees in your browser, open the **App** menu and click **Connect with wtWin**. The program picks up the connect link (from the clipboard or directly from the browser), asks once and opens the tree. No address, no password. The link is valid for ten minutes and exactly once.

By hand:

1. Enter the address of your webtrees site as shown in the browser. The program trims the rest itself. If a suitable address is on the clipboard, it is suggested.
2. Click **Connect**.
3. Sign in with user name (or e-mail) and password. **View without signing in** shows only what visitors see on the website.

Directory protection: if the browser shows a small sign-in box of the web server (.htaccess) before webtrees, open “Server asks for a user name and password before webtrees” on the address screen and enter those credentials there. The program sends them with every request to this server; you then sign in as usual. When the server asks for such a sign-in, the fields open by themselves.

You sign in with your normal webtrees account. The same rights apply as on the website: what you cannot see there, you cannot see here; what you may edit there, you may edit here.

Unencrypted addresses (`http://`) are accepted only on your home network, e.g. `http://192.168.178.73:8095` . Away from home, the server needs HTTPS.

1.2 Family tree on this PC

On the right of the start screen: enter a name and click **Create family tree**, or **Import from GEDCOM file ...** to move over from another program. From then on you work without a server, password or internet. See [Family tree on this PC](#) (chapter 12).

1.3 Switching trees or servers

- If the server has several trees, switch under **File** > **Switch tree**.
- To another server: **File** > **Sign out**, then **Other address**. Or click **Connect with wtWin** on the **App** page of the other server; this also works while you are signed in.

1.4 Language

The program follows the system language (German, English, French, Dutch or Spanish, otherwise English). Choose a fixed language under **View** > **Language**. Labels that come from the server (event names, relationships) appear in the program's language.


1.5 Next

- The main window (chapter 2): navigator, toolbar, view
- Person sheet and editing (chapter 3)
- Charts (chapter 6), Lists (chapter 7), Books (chapter 8)
- Keyboard shortcuts (chapter 13)

2 The main window

Under **View > Layout** you choose between four layouts. All show the same tree, arranged differently.

2.1 Navigator (default)




The toolbar on top, below it the **central person** with partners and children, to the right their ancestors, generation by generation.

- **One click** on a person makes them the central person.
- **Double-click** opens the [person sheet](#) (chapter 3).
- **Right mouse button:** show as central person, edit, bookmark, open in webtrees.
- **Siblings** are listed in the info box at the top left (half-siblings with ½); a click makes them the central person.
- **Keyboard:** right arrow to the father (with Shift to the mother), left to the child, up/down through the siblings, Enter opens the sheet (see [Keyboard shortcuts](#) (chapter 13)).
- **Generations** (2 to 7) and **zoom** (–, +, Ctrl+mouse wheel, fit) are in the navigator itself; the choice is remembered. Boxes get smaller towards the outside; with 7 generations the outermost row is staggered.
- A missing parent shows as "father unknown" or "mother unknown". With edit rights, **Add relative** creates the missing person.

Toolbar: Go to, Person sheet, Add relative, Bookmarks, Back, Forward, History, Start person, List, Chart, Print, Home, Tree (depending on the layout: Navigator, Family or Local heritage book), Photos, Archive, Check, Places, Sources, Research tasks, Recent changes, webtrees – Archive, Research tasks and Recent changes only if the server supports them. Language, Help and Quit

are in the menu. If the width is not enough, it shows icons only (name on hover), finally the rest moves into the **More** menu. Switch the captions off under **View > Toolbar labels**.


2.2 Tree in the centre



Three columns: the **person list** with a search field on the left (Ctrl+F jumps into it), the **tree** as an hourglass around the central person in the middle (drag, zoom with the mouse wheel, expand branches upwards), the **person panel** with the selected person's details on the right.

When zooming out a card shows less rather than smaller: first without picture and years, then only the given name, finally a box in the sex colour. Right-click in the list: as central person, profile, bookmark, open in webtrees.

2.3 Family view



The middle shows the central person's **family**, laid out like classic genealogy programs: at the top the ancestors of both partners over 2 to 4 **generations** (– and + at the top right, remembered), below them the parents, in the middle the couple as large cards with portrait, born, died and occupation, between them the status line with all marriages and the number of children, at the bottom the **children with their spouses** and below them the **grandchildren**. Continuous lines connect the generations. If the central person has several marriages, each has its own **tab**.

- **Fit to window:** the family is enlarged until it fills the window (up to 180 %); the percentage is shown at the top right. **Ctrl+mouse wheel** changes the zoom, a click on the percentage fits again.
- A **click** selects a person; the person panel on the right shows them. **Double-click** makes them the central person – this is how you move through the families up (parents, grandparents) and down (children, grandchildren).
- **Buttons in the couple cards:** Person sheet, Photos, Add relative. **+ Son** and **+ Daughter** in the status line add a child of this partnership with the sex preset. Above the family: **+ Add person ▼** (father, mother, spouse, child or **link an existing person**, i.e. connect an existing record instead of creating a new one), **Go to** and the generations. When adding, the dialog warns if a person of the same name already exists and offers “Link instead”.
- **Right mouse button** on any card: Show as focus, Person sheet, Add relative, Open in webtrees, Delete person (with edit rights, after confirmation).
- A missing parent shows “Father unknown” or “Mother unknown”; with edit rights, **+ add** creates them.
- The central person’s **siblings** are shown above the couple. **Keyboard:** up arrow to the father (with Shift to the mother), down to the child, left/right through the siblings, Tab to the next tab.

The **person table** (chapter 5) (Ctrl+4) shows everyone as a table.

2.4 Local heritage book

The screenshot displays the wtWin software interface for managing local heritage data. The interface is divided into several panes:

- Left Pane:** A list of families (Brammer, Bruns, Harms, etc.) with a search filter (Bienenbüttel) and a list of family members (Brammer, Georg; Bruns, Heinrich Wilhelm; Harms, Hans Jürgen; etc.).
- Middle Pane:** A detailed view of a family (Brammer, Georg) showing birth, marriage, and death records. It includes a timeline of events and a list of family members.
- Right Pane:** A person sheet for Georg Mohwinkel, showing birth, marriage, and death records, as well as a family tree view.

The family book as a live view: on the left the **place filter** (empty = all families) and the numbered families, alphabetical or chronological, in the middle the entries exactly as in the printed family book – spouses with a pointer to their parents’ family, marriage, children with a pointer to their own family, sources, godparents, notes. The pointers <7>, [12] and H3 jump to the entry, a click on a name shows the person in the panel on the right, a double click opens the person sheet; after saving, the book is rebuilt. On screen, sources and godparents appear only on request (checkboxes above the family list); print always has them. The person list on the left stays hidden in this layout, the family list takes over. On the right the **houses and farms** of the place with

history, residents and owners (api4webtrees 1.15 or later). So you read the local heritage book while entering data and see gaps before it is printed. Print and website: **Create > Create book > Family book.**

2.5 Sources

204 Quellen		KB Celle ev. Taufen 1863-1905		Bearbeiten Scan oder Datei hinzufügen ... Löschen In webtrees öffnen	
Deutsche Verlustlisten 1914-1919 Preußisches Kriegsministerium	1	Autor	Ev.-luth. Kirchengemeinde Celle		
Familienbibel Falkenrath Familie Falkenrath · Familienbesitz Falkenrath	3	Kurztitel	KB Cell T 1863-05		
KB Amelinghausen ev. Begräbnisse 1802-1824 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	1	Archiv	Pfarrarchiv Celle, KB Celle Nr. 4		
KB Amelinghausen ev. Begräbnisse 1825-1853 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	1	Kennung	S81		
KB Amelinghausen ev. Begräbnisse 1854-1891 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	15	Medien			
KB Amelinghausen ev. Mischbuch 1747-1801 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	7	Vorhandenes Medium ...			
KB Amelinghausen ev. Taufen 1802-1832 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	7	Zitiert von			
KB Amelinghausen ev. Taufen 1833-1856 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	12	Heinrich Falkenrath 1897-1969	Kindstaufe		
KB Amelinghausen ev. Taufen 1857-1901 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	1	Anna Rosskamp 1901-1985	Kindstaufe		
KB Amelinghausen ev. Trauungen 1802-1828 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	3	Minna Rosskamp 1876-1879	Kindstaufe		
KB Amelinghausen ev. Trauungen 1829-1850 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	2	Wilhelm Rosskamp 1872-1954	Geburt, Kindstaufe, Quellenangabe		
KB Amelinghausen ev. Trauungen 1851-1893 Ev.-luth. Kirchengemeinde Amelinghausen · Kirchenbuchamt Lü...	3	August Rosskamp 1880-1956	Kindstaufe		
KB Bad Bevensen ev. Begräbnisse 1805-1830 Ev.-luth. Kirchengemeinde Bad Bevensen · Kirchenbuchamt Uel...	3	Walter Rosskamp 1870-1928	Geburt, Kindstaufe		
KB Bad Bevensen ev. Begräbnisse 1831-1857 Ev.-luth. Kirchengemeinde Bad Bevensen · Kirchenbuchamt Uel...	7	Johann Friedrich Falkenrath 1843-1911	Quellenangabe		
KB Bad Bevensen ev. Begräbnisse 1858-1894 Ev.-luth. Kirchengemeinde Bad Bevensen · Kirchenbuchamt Uel...	4	Pauline Rosskamp 1903-1999	Kindstaufe		
		Carl Falkenrath 1866-1938	Geburt, Kindstaufe		
		Dorothea Wichmann 1870-1949	Geburt, Kindstaufe		
		Marie Falkenrath 1894-1975	Kindstaufe		
		August Rosskamp 1868-1931	Geburt, Kindstaufe		

View > Sources (Ctrl+5) or the **Sources** icon opens the source manager: all sources of the tree on the left with search and the number of citations, the selected source on the right with author, publication, repository and call number, text, notes, media and **Cited by** – every individual and family with the facts that carry the citation. A click selects the person, a double-click makes them the central person.

With edit rights: + **New source** (title, author, publication, abbreviation, repository with call number – also a new repository –, text, note), **Edit**, **Add scan or file ...** (attaches the file to the source as a document) and **Delete** (with a warning if the source is still cited). **Remove unused ...** lists all sources nobody cites, to tick and delete. In the citation dialog, **New source ...** creates a source directly and **Source from file ...** creates one from a scan: title from the file name, the file attached, the source selected right away.

Documents are attached in two places, as in webtrees: to the **source** (the digitised parish register) or to the single **citation** (the scan of exactly this baptism). In both places you can **upload a file** or choose **existing media** of the tree; “unlink” or ✕ only removes the link, media object and file are kept.

In the person sheet, the detail area below the event table (tab **Sources**) shows each citation with page, quality, date, quotation, notes and media; a click on the title opens the source here. A source without its own record (“according to Martha Meier”) is shown in italics.


With edit rights, the buttons below are + **Cite source** (search a source in the manager or enter it as text, plus page, quality, date, quotation and note), **Edit**, **Remove**, ▲ ▼ (order) and **Copy to ...** – the same citation for further events of this person, for parents, partners and children (as a general

citation on the record) or for the partnership. Only what you enter is changed; everything else on the citation and the event is kept.

In the layouts **Tree in the centre** and **Family view** the **Sources** button is in the bar at the top; in the person panel on the right (tab Events) every citation is clickable and opens the source.

Needs api4webtrees with API level 18; with older servers the icon opens the webtrees source list as before.

2.6 Places



View > Places (Ctrl+6) or the **Places** icon opens the place manager (api4webtrees 1.13 or later): all places as written at the events on the left, with search, the number of events and a circle for “coordinates known”. On the right the selected place in tabs: **People** (every individual and family with their events there – a click selects the person, a double-click makes them the central person), **History** (every event at the place in order of time – the place’s own events such as a fire or rebuilding highlighted, plus births, residences, marriages and deaths of the individuals and families here), **Details** (levels, type, the place above, places within, location record and GOV identifier), **Notes**, **Sources**, **Media** and **Coordinates** with a map. In webtrees a place’s note, GOV identifier and coordinates are kept in its location record (`_LOC`, GEDCOM-L); without one, wtWin takes the coordinates from webtrees’ geographic data or from an event.

Houses and farms: GEDCOM-L records buildings as location records of their own with a type (TYPE farm, house ...) and a superior place (api4webtrees 1.15 or later). Such farms appear under their place as “places within” with their type, even before any event is recorded there; their **History** tab is the farm chronicle with residents and owners. The type can be set under **Edit**. Next to the type you can choose the **GOV type** (farm 24, mill 87 ...); it is stored as `2_GOVTYPE` in the location record and names the kind of place unambiguously, even if the text says “Bauernhof” or “farm” (api4webtrees 1.19 or later). Events that get a place receive the pointer `3_LOC` to its location record when it is unambiguous – other programs such as the farm list of the Online-OFB find the farm only through it. If events at a place have no pointer yet, **Edit** offers to link them. Changing the superior place keeps earlier dated and church assignments.

The **Details** tab is the place page: at the top a picture (your own photo at the location record, otherwise a suggestion from Wikimedia Commons with credit), tiles for births, marriages, deaths and other events, the **hierarchy** from GOV (today and earlier, with years) and **Look up** with GOV, GenWiki, Wikipedia, Archion, Matricula, Archivportal-D and the German Digital Library. For this the place name and GOV identifier go to gov.genealogy.net and Wikimedia; the answers stay on this PC for 7 days. A Wikimedia picture is shown only if the match lies within 30 km of the place’s coordinates. Below it up to six more pictures from Wikimedia Commons; a click shows them large (arrow keys to browse), with author, licence and a link to the source. These pictures are only shown, not stored in the family tree.

Map (switch above the list) shows every place with coordinates: size and colour by the number of events, nearby places as a grey group with their count – a click zooms in. A click on a place selects it, **Show** switches to its data. The search also filters the map; how many places still lack coordinates is shown top left. Zoom with the mouse wheel, a double click (with Shift to zoom out) or the + and – buttons at the top right; this works on every map in wtWin.

With edit rights **Edit** opens the place data: GOV identifier (with **Search GOV**), note and coordinates. **Find coordinates ...** asks OpenStreetMap for the place name; a click on a result takes latitude and longitude. Everything is saved in the location record (_LOC), which wtWin creates when needed; if the place name occurs more than once in the tree, the events at the place get a pointer to it. Administrators can also write the coordinates to webtrees' geographic data – the maps in the browser read only those.

Rename and merge: the place name at the top is an input field. Change it and confirm with the tick (or Enter) – before that wtWin tells you how many events will be changed and which places below move along (“Kortau, Allenstein” → “Kortau, Olsztyn”). If the new name already exists, both places are merged: notes, sources and media of the location records are kept; if GOV identifier or coordinates differ, those of the target apply. Locked or confidential events you may not change keep the old name. Without automatic acceptance the changes wait for a moderator as usual. Tip: rename typing errors, but leave historical names (Alenstein/Olsztyn) as they are and connect them through the GOV identifier.

Clean up places: “Clean up ...” above the place list, **Tools > Clean up places ...** (or “Clean up places ...” in the plausibility check at rule 510) shows place names that probably mean the same place: same GOV ID, spelling apart from case and spaces, the same place without hierarchy (“Hermannsburg” next to “Hermannsburg, Celle, ...”), spelling variants (“Bienenbuettel”/“Bienenbüttel”) and places of the same name less than 2 km apart. The suggestion is to merge the rarer one into the more frequent one; ↕ reverses the direction. “Merge ...” asks with the numbers, as when renaming. “Keep separate” remembers the pair for this family tree – for example historical names with the same GOV ID. At the top it shows how many places with a location record have events without a pointer; **Link events** links them all (api4webtrees 1.19 or later). **Addresses to houses ...** (api4webtrees 1.20 or later) collects events that carry a place and an address – that is how many programs keep the farm under the residence – and turns every address into a place of its own under the previous one (“Klosterstraße 3, Mengen”) with location record, type and pointer; the address line goes, date, sources and notes stay.

Place names in the person panel and on the person sheet can be clicked, and every filled place field has a place icon – both open the place directly in the place manager.

With edit rights you write the note directly in the **Notes** tab, attach photos and documents in the **Media** tab (upload a file, an existing media object or one from the archive; **unlink** only removes the link) and cite a source for the place in the **Sources** tab. Everything goes into the location record; if there is none yet, wtWin creates it. The first photo at the location record becomes the picture at the top of the place page.

Coordinates can be typed as decimals or in degrees, minutes, seconds; **From clipboard** takes a copied pair, for example from Wikipedia. With **Find coordinates ...** two ticks decide whether a result supplies the coordinates and/or postal code, region and country. In the **Coordinates** tab buttons open the place in OpenStreetMap, Bing Maps or Google Maps; **Centre map** brings it back to the middle. In the **People** tab the mouse pointer shows life dates and events; a double-click opens the person sheet.

Edit also takes a **short name** (GEDCOM-L: abbreviation of the place name). Books with “Shorten place names” use it instead of the full name; without one they take the first part of the name as before.

In the **Media** tab the mouse pointer over a picture shows title, file name, format, type, size and dimensions; **edit** changes title and type (photo, document, postcard ...). Files can also simply be dragged from the file manager onto the tab.

2.7 Tasks, bookmarks and recent changes

Needs api4webtrees 1.18 or newer on the server; the family tree on this PC includes it.

- **Research tasks** (View > Research tasks, Ctrl+7): all research tasks of the tree – the same ones webtrees shows in the browser in the block “Research tasks”, stored in the GEDCOM field `_TODO` at an individual or family. Each with text, date, assignee and note. **New task ...** adds one for the central person, as does Individual > **Add task ...**; in the plausibility check the task symbol turns a finding into a task with the check text. A date in the future is a reminder and drops out of the list with “due only”. **Done** deletes the task, as webtrees does.
- **Bookmarks** (Ctrl+B): since 1.37 these are webtrees’ favourites, also visible in the browser under “My page > My favourites”. An old bookmark list is taken over on first use. Managers can set favourites for everyone with Individual > **Bookmark for the tree**; they appear in the bookmarks as a second group.
- **Recent changes** (View > Recent changes, Ctrl+8): who created, changed or deleted which record and when, including changes not yet approved. A click makes the person the central person, a double-click opens the person sheet.
- **Order**: in the person sheet, tab Partners/children, the arrows ▲▼ move partnerships and children up or down. Only the order of the lines in the GEDCOM changes.

2.8 Sections: Home, Tree, Photos

- **Home** (Ctrl+1): greeting, upcoming anniversaries, recent changes in the tree, the start person. Moderators see pending changes here and accept or reject them.
- **Tree** (Ctrl+2): navigator, tree view or family.
- **Photos** (Ctrl+3): all pictures of the tree; a click opens the viewer. If the Collections module runs on the server, its archive appears here too.

2.9 View

- **Appearance**: light, dark or like the system.
- **Language**: like the system or fixed to German, English, French, Dutch or Spanish. Takes effect at once; labels from the server (event types, places) arrive in the new language with the next reload. Help and plausibility check switch as well.
- **Place display ...**: how place names appear in views, lists and charts: full, city and country, city and country code (NL or NLD). With a home country, places in it show the city name only (“Amsterdam” instead of “Amsterdam, Noord-Holland, Nederland”), places elsewhere follow the chosen format. The country is the last part of the place name; country names in the five languages and the codes themselves are recognised. Input fields, place management and books keep the full name.
- **Colour coding**: colours the start person’s ancestors by the four grandparent lines and their descendants in a fifth colour (after Mary Hill). Needs a start person.
- **Show siblings and partners, Show cousins**: for the tree view.
- **Generations**: how many ancestor generations the tree loads.

2.10 Back, forward, history

Every change of the central person goes into the history. **Alt+Left** goes back, **Alt+Right** forward again; the **History** icon lists the last persons. **Alt+Home** jumps to the start person webtrees knows for your account.

2.11 Status bar

At the bottom: server, account (or "guest") and program version. **F5** reloads the tree, e.g. after changes in the browser.

2.12 Tools (Tools menu)

Tools > Date calculator works out the difference between two dates in years, months and days, the date of birth from the date of death and age ("aged 63 y. 4 m. 2 d."), and converts a date between the Julian and Gregorian calendars, with weekday and day in the church year. **Tools > Church year and feast days** shows Easter and all Sundays and feasts of a year (German and Latin names, Protestant or Catholic, Gregorian or Julian), finds the date for "Laetare 1734" or "Dom. III p. Trin." and tells which Sunday or feast a given date was. Both calculate on this PC without a server; results can be copied as GEDCOM dates.

3 Person sheet and editing

The person sheet opens with a **double-click** on a person, with **Ctrl+E** or via the **Edit** icon. It shows everything about a person and is also the place for editing.

3.1 Layout

de' Medici, Cosimo I 55 Jahre

Daten Eltern/Geschwister Partner/Kinder Notizen Quellen Medien Lebenslauf Karte

Ereignis	Datum	Ort / Beschreibung
Geburt	1519	
Name		Cosimo I /de' Medici/
Geschlecht		männlich
Tod	1574	
Titel		Grand Duke of Tuscany
Notiz		Großherzog ab 1569 (Bild 2)
Notiz		Uneheliche Verbindung, Mutter im Bild nicht genannt
Heirat mit Eleonora di Toledo		ja
Notiz		Uneheliche Verbindung, Mutter im Bild nicht genannt
Heirat mit Camilla Martelli		ja

+ Ereignis hinzufügen Bearbeiten Löschen

Person löschen ... Drucken PDF

Vater: de' Medici, Giovanni 1498-1526
Mutter: Salviati, Maria 1499-1543
Geschwister: -
Partner/in: di Toledo, Eleonora 1522-1562; Martelli, Camilla ...
Kinder: de' Medici, Bia 1537-1542; de' Medici, Maria 1540-1557; de' Medici, Francesco I 1541-1587; de' Medici, Isabella 1542-1576; de' Medici, Giovanni 1543-1562; de' Medici, Lucrezia 1545-1561; de' Medici, Pedricco 1546-1547; de' Medici, Garzia 1547-1562; de' Medici, Ferdinando I 1549-1609; de' Medici, Anna 1553-1553; de' Medici, Pietro 1554-1604

+ Verwandte hinzufügen

Als Zentralperson zeigen Schließen

Name, dates and picture on top. Below, the tabs:

- **Data:** all events as a table (event, date, place / description), plus age at death.
- **Life:** the timeline with marriage, births of the children and the age at each event. It also lists the events where the person was a godparent or witness (“Godmother at: Christening of ...”); a click leads to the child or the couple.
- **Godparents and witnesses:** below baptism and marriage a line “Godparents:” or “Witnesses:” appears – in the timeline, in the detail area of the data table, in the family view and on index cards. Godparents with their own record are underlined and clickable, those without (from a note “Paten: ...” or the GEDCOM-L field _GODP) appear as text. ⓘ unfolds a note about the godparent, the source icon opens the source. Living godparents you are not allowed to see show only as “Private”. Below the data table the section **Godparent and witness roles** lists all baptisms and marriages where the person was a godparent or witness; a click on the heading folds it away. Both need api4webtrees 1.11 or newer; with an older module the godparent note simply stays a note.

- **Type of marriage:** civil and religious marriage appear as separate events with their type; lists and the check use the civil one when both exist.
- **Parents/Siblings:** parents and siblings, including half-siblings. A click switches to that person.
- **Partners/Children:** the partnerships on the left, the children of the selected one on the right, below its events (marriage, divorce, residence ...) to add, edit and delete. Double-click a partner or child to show their sheet; + adds a partner or a child of this partnership.
- **Name:** given names, surname and name suffix have their own fields when editing.
- **Simple / Full** (bottom of the sheet): “Simple” shows a form in the Data tab with name, birth, baptism, religion, occupation, marriage per partnership, death and burial to type into directly; “Full” shows the table of all events with age and markers for note and source (click a column header to sort). Only what you changed is saved; sources, notes and other details of the event are kept. If an event exists more than once, the form edits the first. A date the program cannot interpret (“spring 1850”) is saved as date text. Saving happens when you leave a field (Tab or click elsewhere), as everywhere in the program. An invalid date stays red and is not sent until you correct it or choose “Save as text anyway”; only then does closing or quitting ask first.
- **Notes, Sources, Media.**
- **Map:** the places of life as a list with links to OpenStreetMap.

3.2 Paging

Page Up and **Page Down** move to the previous or next person in the list, **Ctrl+Home** and **Ctrl+End** to the first and last. **Esc** closes the window.

3.3 Editing

Paten bearbeiten – Kindstaufe

Louise Falkenrath	^	v	×
Pate/Patin · Schwester des Vaters			
Friedrich Plate, Anbauer zu Celle	^	v	×
Pate/Patin · ohne Datensatz			

Rolle:

Notiz zu dieser Person

Schwester des Vaters

Editing needs edit rights in webtrees. Changes go to webtrees immediately; depending on the tree's settings they apply at once or wait for a moderator's approval.

- **Change an event:** double-click the row (or Edit). Date and place are selected, not typed: exact, about, before, after, between; day, month, year. Places are suggested from the tree as you type.
- **Add event**, including family events such as marriage.
- **Add relative** (Ctrl+N): create parents, partner, child or sibling with name and first events. In the navigator this is also in the right-click menu.
- **Entering godparents and witnesses:** select the baptism or marriage in the data table and click **Edit godparents ...** or **Edit witnesses ...** in the detail area below (marriages also in the Partners/Children tab). Arrange the list with the arrows, ✕ removes an entry. **Person from the tree ...** searches by name and links the person; **Without a record ...** adds someone who has no entry of their own – as written in the church register: “Friedrich Plate, farmer at Celle”. The role (godparent, witness or another such as “midwife”) and a note about the person are below the list. Linked godparents are stored as webtrees does, people without a record as the GEDCOM-L fields _GODP and _WITN; sources on a godparent are kept. Godparents recorded only at the person (older exports) are moved into the baptism with a tick. Needs api4webtrees 1.12 or newer.
- **Type of marriage:** in the event dialog of a marriage, **Type** chooses between not stated, civil, religious, registered partnership and common-law. A second ceremony (such as the religious one after the civil one) is added as another “Marriage” event of the partnership.
- **Delete:** an event or the whole person, after confirmation.

- **Notes and media:** In the **Notes** tab you add general notes about the person (+ **New note**), change and delete them; notes on events are listed below for reading. In the **Media** tab you attach photos and scans (a file, an existing media object, one from the archive or simply dragged from the file manager), change title and type and remove links; a click on a picture opens it. Needs api4webtrees with API level 23.
- **Edit in webtrees:** everything the program cannot do itself (such as shared note records) you do on the person page in the browser. See [webtrees in the browser](#) (chapter 10).

3.4 Merging individuals

bleibt
Johann Heinrich Falkenrath (I52)
1801–1869

⇄

geht auf in
Johann Heinrich Falkenrath (I412)
1801–

Kommt dazu von Johann Heinrich Falkenrath:

☒ Wohnort ab 1830 · Bienenbüttel

4 gleiche Angaben werden nicht doppelt übernommen.

[Alle Ereignisse anzeigen](#)

Zeigt danach auf Johann Heinrich Falkenrath: Johann Heinrich Falkenrath + Anna Dorothea Wichmann (F201), Kirchenbuch Celle, Taufen 1790–1820 (S5)

Wahrscheinlich ebenfalls doppelt – angehakte Paare kommen danach an die Reihe:


☒ Partner: Anna Dorothea Wichmann (I53) ← Anna Dorothea Wichmann (I413)

Duplicate individuals arise when two files are combined or while entering data – the same ancestor twice, once as a child and once as a husband. **Tools > Merge individuals ...** (tree managers only, needs api4webtrees 1.16 or newer) lists all pairs the plausibility check takes for duplicates: same name and one identical event date (rule 219) or a similar name with a close year of birth (rule 228). In the check the same pairs show a symbol with two merging lines. **Add pair ...** takes any two individuals, such as children with the same name and no data; in the table of individuals the right mouse button does the same.

Merge ... shows who stays and who is absorbed, and below that only what is **added** from the second individual, usually one to three lines with tick boxes. Identical entries are not taken over twice, not even when one version has fewer details (birth with date only next to birth with date and place) or a “deceased” without a date stands next to a death with a date. **Show all events** opens the full side-by-side comparison in case you want to drop something from the first individual too. Links to families and media always stay, sources and notes at the events too. Everything that pointed to the second individual – families, source citations, godparent roles – points to the first afterwards. Below, the program suggests further pairs (father, mother, spouses and children with the same name); ticked ones follow after the merge. If an individual ends up with two births because the data contradict each other, the check shows it and you clean it up in the individual sheet.

Undo: every merge is listed in the **Log** tab with time and user. **Undo** restores both individuals and all links as they were – even days later, as long as nobody has edited the affected records since; otherwise the program names the changed records and leaves everything as it is. Without automatic acceptance, merging and undoing wait for a moderator like any change.

3.5 Photos



23 Gesichter

☐ Gesicht markieren

Mit der Maus über ein Gesicht fahren zeigt den Namen. Ein Klick auf einen Namen in der Liste macht die Person zum Probanden.

unbekannt	
Ludwig Roskamp	179
Else Reinecke	180
Georg Oberlin	128
Frieda Behnke	129
Karl Behrens	172
Hermann Lüders	1274
Martha Cordes	1105
Dorothee Lüders	1305
Hinrich Bartels	163
Wilhelmine Drewes	145
Johann Oberlin	144
Wilhelm Niebuhr nicht im Stammbaum	
Walter Roskamp	1273
Wilhelm Roskamp	1271
Otto Behnke	1104
Johanne Brandes	1300
Carl Falkenrath	139
Dorothea Wichmann	140
Heinrich Falkenrath	121
Anna Roskamp	122

Die Rahmen werden in der Bilddatei selbst gespeichert (XMP). Ein Gesicht zuordnen hängt das Bild nicht an die Person.

Schließen Speichern

Add photo picks a file from the PC and attaches it to the person; the picture is scaled to the server's upload limit. A click on a picture opens the viewer.

3.6 Printing and sharing

- **File** > **Print person sheet ...** (Ctrl+P) and **Person sheet as PDF ...**
- **Person** > **Copy person text** (Ctrl+Shift+C) puts all details as text on the clipboard, e.g. for an e-mail or a word processor.
- **Person** > **Search in the CompGen meta search ...** (also by right-clicking a person) searches the surname in the databases of the German Association for Computer Genealogy: GEDBAS, address books, online local family books, casualty lists and more. A small window shows what is sent – only the surname without particles such as “von”, a place of the person if you like, never given names or dates – and the results open in the browser. Without a place the search usually finds more.
- More output: **Lists** (chapter 7) (person sheet as a list), **Charts** (chapter 6), **Books** (chapter 8).

CompGen meta search

Searches the surname at once in GEDBAS, address books, online local family books, casualty lists and further databases of the German Association for Computer Genealogy (CompGen). The results open in the browser. Only the surname and, if chosen, the place are sent to meta.genealogy.net – no given names, no dates.

Surname

☒ Mohwinkel

Place

☒ No place

☐ Bienenbüttel · Birth

☐ Amelinghausen · Marriage

Search in browser

Cancel

3.7 GEDCOM-L

wtWin shows every item of the GEDCOM-L addendum a family tree contains (from api4webtrees 1.21): in the detail area of an event the address, the GOV identifier, the postal code (with date) and the Maidenhead locator of the place as well as the addressee; in the header of the person sheet, when hovering over the ID, the unique identifier (_UID); in the **Media** tab a star on the highlighted image (_PRIM); in the task window description, category, priority, type, status, reminder, completion date, solution and repository of a research task; in the place manager under **Data** earlier names and types with dates, postal codes with dates, administrative ID (e.g. municipality key), population figures, Maidenhead locator, religion and unique identifier. Editing keeps every GEDCOM-L item. You can edit the **family status** of a partnership (Partners/Children tab, choice above the events), the **main image** (Media tab, “Make main image” – moves it to the first place and marks it with _PRIM) and all fields of a **research task** in the task dialog (from api4webtrees 1.21).

4 Search, go to, bookmarks

4.1 Go to

Ctrl+F (or the **Go to** icon) opens the search: type a name, pick the match, and the person becomes the central person. This works in every layout; the person list on the left also searches directly.

4.2 Start person

Alt+Home jumps to the start person: the person webtrees knows for your account (your own record or the tree's default person). It is also the reference for colour coding.

Person > Set as start person ... makes the central person the start person – just for you (as “My account” in webtrees) or, as a manager, for everyone as the family tree's default individual. Worth doing after taking over a GEDCOM file on this PC, otherwise the program starts with the first person of the file.

4.3 Bookmarks

Keep the persons you are working on: **Ctrl+D**, **Person > Bookmark** or right-click > **Bookmark**. **Ctrl+B** opens the bookmark list; a click opens the person, **Remove** drops it. Bookmarks are available when the server module api4webtrees is recent enough.

4.4 History

Alt+Left and **Alt+Right** go back and forward in the history; the **History** icon lists the last persons.

4.5 Places, sources, duplicates

Searching for places and sources and “Find duplicates” are done by webtrees itself; the **webtrees** menu opens the matching pages in the browser. To see how two persons are related, use the **Relationship path** chart (see [Charts](#) (chapter 6)).

5 Person table

The **person table** shows everyone in the family tree in columns: ID, name, sex, birth, birth place, death, death place and occupation. Open it via **View > Person table** (Ctrl+4) or the **List** icon. The window can stay open next to the main window.

492 von 492 Personen

Filter leeren

Als CSV speichern ...

ID	Name ▲	G.	Geburt	Geburtsort	Tod	Sterbeort	Beruf
...	...	...	...	...	...	...	...
187	Dirk Ahlers	●	22. Oktober 1960	Lüneburg, Niedersachsen, Deu...			Dachdeckermeister
188	Florian Ahlers	●	12. März 1990	Lüneburg, Niedersachsen, Deu...			Zimmerer
189	Julia Ahlers	●	7. Juli 1993	Lüneburg, Niedersachsen, Deu...			Studentin
164	Emma Bartels	●	16. April 1890	Celle, Niedersachsen, Deutschl...	1. Januar 1970	Celle, Niedersachsen, Deut...	Hebamme
163	Hinrich Bartels	●	28. Dezember 18...	Celle, Niedersachsen, Deutschl...	10. Februar 1927	Celle, Niedersachsen, Deut...	Sattler
1113	Charlotte Behnke	●	4. Oktober 1838	Celle, Niedersachsen, Deutschl...	25. April 1883		
129	Frieda Behnke	●	18. Februar 1904	Uelzen, Niedersachsen, Deutsc...	6. September 1990	Uelzen, Niedersachsen, De...	
1120	Georg Behnke	●	2. Januar 1812	Celle, Niedersachsen, Deutschl...	23. Juni 1864	Celle, Niedersachsen, Deut...	Müller
1206	Hans Jürgen Behnke	●	28. Januar 1784	Celle, Niedersachsen, Deutschl...	28. Oktober 1866	Celle, Niedersachsen, Deut...	Halbhöfner
1123	Johann Heinrich Behnke	●	8. November 1842	Celle, Niedersachsen, Deutschl...	13. April 1903	Uelzen, Niedersachsen, De...	Hofbesitzer
1302	Louise Behnke	●	19. Juni 1846	Celle, Niedersachsen, Deutschl...	11. Juli 1848	Celle, Niedersachsen, Deut...	
1104	Otto Behnke	●	15. Februar 1867	Uelzen, Niedersachsen, Deutsc...	26. April 1937	Uelzen, Niedersachsen, De...	Sattler
174	Günter Behrens	●	11. August 1931	Celle, Niedersachsen, Deutschl...	27. Januar 2009	Celle, Niedersachsen, Deut...	Elektriker
173	Hildegard Behrens	●	20. März 1928	Celle, Niedersachsen, Deutschl...	8. Dezember 2015	Celle, Niedersachsen, Deut...	Buchhalterin
172	Karl Behrens	●	8. Mai 1898	Celle, Niedersachsen, Deutschl...	21. März 1970	Celle, Niedersachsen, Deut...	Postschaffner
175	Petra Behrens	●	14. Juni 1958	Celle, Niedersachsen, Deutschl...			Floristin
197	Andrea Bock	●	2. März 1962	Lüneburg, Niedersachsen, Deu...			Konditorin
196	Manfred Bock	●	1. April 1933	Lüneburg, Niedersachsen, Deu...	15. November 20...	Lüneburg, Niedersachsen, ...	Konditormeister
157	Heinrich Bostelmann	●	14. August 1832	Eschede, Celle, Niedersachsen,...	2. Februar 1899	Eschede, Celle, Niedersach...	Kötner
156	Jürgen Hinrich Bostelmann	●	um 1798	Eschede, Celle, Niedersachsen,...	30. Mai 1866	Eschede, Celle, Niedersach...	Kötner
1137	Caroline Brammer	●	23. Februar 1849	Lüneburg, Niedersachsen, Deu...	28. Januar 1919	Lüneburg, Niedersachsen, ...	
1262	Christoph Brammer	●	11. November 17...	Bad Bevensen, Uelzen, Nieders...	19. April 1853	Lüneburg, Niedersachsen, ...	Halbhöfner
1479	Finn Brammer	●	12. April 1989	Hannover, Niedersachsen, Deu...			Kaufmann
1192	Georg Brammer	●	9. August 1821	Lüneburg, Niedersachsen, Deu...	7. Februar 1888	Lüneburg, Niedersachsen, ...	Salinenarbeiter

Klick auf einen Spaltenkopf sortiert, ein zweiter Klick dreht um. Doppelklick oder Eingabetaste: Person wird Proband. Rechtsklick: weitere Befehle.

5.1 Sorting

Click a column header to sort by that column, click again to reverse the order. Dates are sorted by the calendar, not by their text; people without a value always come last.

5.2 Filtering

Below each column header there is a filter field. Several filters apply together.

- **Text:** finds parts, ignoring upper and lower case – "hann" finds Hannover.
- **1800-1850** under birth or death: years from-to; also -1850 or 1800-.
- **!** – the field is empty. This is how you find gaps, for example everyone without a birth place.
- ***** – the field is filled.

Clear filters resets all fields. The top line shows how many people match.

If the birth is missing, the baptism is shown (with ~); if the death is missing, the burial (with ☐). Private people are not listed.

5.3 Working with the table

- **Click:** selects the person; the person panel in the main window shows them.
- **Double-click** or **Enter:** show the person as focus.
- **Arrow keys, Page up/down:** move through the table.
- **Right-click:** Show as focus, Person sheet, Open in webtrees.
- **Save as CSV ...** writes the rows currently shown to a file for spreadsheet programs.

The table needs the whole tree at once; the server must run api4webtrees 1.9 or later (see [Lists](#) (chapter 7)).

6 Charts

Open the **Create chart** window via **Create > Ancestor chart ...** (Ctrl+Shift+T), **Create > Descendant chart ...** (Ctrl+T) or the **Chart** icon. On the left you choose the chart type and the settings, on the right you see the preview. The preview is the finished sheet: what you see is what prints.

6.1 Using the preview

Vorfahren

Ahnentafel

Ahnentafel (seitenweise)

Fächertafel

Ahnenkreis

Stammlinie

Mutterstamm

Ältester Vorfahr

Nachfahren

Stammtafel

Vor- und Nachfahren

Sanduhr

Ahnenkreis

Wie die Fächertafel, als Vollkreis.

Proband

Jonas Falkenrath

Generationen

7

Gestaltung

Farbig

Breite der Personenrahmen

30 mm

☒ Bilder zeigen

☒ Kekule-Nummern zeigen

Überschrift

Ahnenkreis Jonas Falkenrath

125 Personen · Blatt 53 × 57 cm

Klick auf die Vorschau vergrößert sie oder zeigt wieder das ganze Blatt.

Drucken auf ein Blatt

Drucken in Originalgröße (A4-Blätter)

Als PDF speichern (Poster)







Als PDF speichern (A4-Blätter)



Schließen

Ahnenkreis Jonas Falkenrath

- **Mouse wheel** zooms around the pointer, **dragging** pans.
- **One click** switches between the whole sheet and reading size.
- **Right-click** on a box: colour or hide that person's branch.
- For large charts the window shows the number of persons and the sheet size in centimetres.

6.2 Chart types





Ancestors

- **Ancestor chart:** central person at the bottom, one row per generation above, Kekulé numbers.
- **Ancestor chart (paged):** four generations per landscape A4 page, "→ p. 5" for the continuation, for filing.
- **Fan chart** (half circle) and **Ancestor circle** (full circle): the central person in the middle, one ring per generation.
- **Timeline:** ancestors as life bars over a year axis, who lived when; optionally with historical events.
- **Paternal line, Maternal line, Oldest ancestor** (line to the earliest known birth).

Descendants

- **Descendant chart:** all descendants on one sheet, the central person on top.
- **Descendant chart (paged):** few generations per page, references to the continuation, a page overview in front, the index of persons at the back.
- **Descendants of the grandparents:** uncles, aunts and cousins on both sides; father and mother side by side in the middle.

Ancestors and descendants

- **Hourglass:** ancestors above, descendants below the central person.
- **Hourglass of a couple:** the ancestors of both partners, their common descendants below; with several marriages you choose the partner.
- **Kinship chart:** the descendants of all ancestral couples of one generation (parents, grandparents, great-grandparents ...) side by side, i.e. all blood relatives; duplicates get a grid reference.
- **Relationship path:** how two persons are related. Search the second person in the field below. The common ancestor on top, both lines below, the relationship in words (up to four paths).

6.3 Settings

The settings are in groups, each can be expanded and collapsed. What you set is kept for the next chart.

- **Content:** central person, generations (for the hourglass separately for ancestors and descendants), siblings (none, of the central person, of all ancestors), spouses, both parents, name bearers only, ancestral couples. Filters: only married or with children, hide early deaths, hide branches (right-click).
- **Box content:** date (year only, short, long), place (full, town only, town and district), baptism and burial as substitutes for missing birth and death, age at death, occupation, call name underlined, pictures, living persons with names only, hint where the chart ends (" +3 children"). Numbers: Kekulé (ancestors), chronicle (IV-12) or d'Aboville (1.2.3).
- **Design:** style (parchment, classic, colour, black and white), box shape (square, rounded, oval with round photo, shield), shadow, photo left of the box, background (white, parchment, paper texture, gradient, own picture), decorative frame (double line, ornamental corners, vines), curved lines, alignment, box width.
- **Large charts legible:** horizontal (generations as columns), central person on top or right, grid at the margin, index of persons on its own page, connect duplicates with a line.
- **Colours:** colour by sex, grandparent line or branch. **Colour rules** colour boxes by surname, given name, birth place, death place, occupation, sex or "living"; the first matching rule applies. The rules apply to all charts of this tree. Coloured branches (right-click) can be removed one by one or all at once.
- **Title and legend:** heading, line below the title, "compiled by", legend on the chart (symbols, numbers, lines, rules in words).
- **Large print and plotter:** see below.
- **Templates:** save all settings as a file (`.wtvorlage`) and load them again, e.g. for the family reunion or a second person.
- **Attach index cards:** one page per person behind the chart with dates, parents, marriages and children, notes and sources. In the PDF, a click on the box jumps to the card and back.

6.4 Output

Frieda Behnke
1904-1990




Lebensdaten und Fakten
Geburt: 18.02.1904, Uelzen, Niedersachsen, Deutschland
Kindtaufe: 20.02.1904, Uelzen, Niedersachsen, Deutschland
Religion: evangelisch-lutherisch
Tod: 06.09.1990, Uelzen, Niedersachsen, Deutschland

Eltern
Vater: Otto Behnke (1867-1937)
Mutter: Martha Cordes (1873-1946)

Ehen und Kinder
• **Georg Oberlin (1899-1978) - 09.09.1927, Uelzen, Niedersachsen, Deutschland**
Mathilde Oberlin (1929-2020)
Hannelore Oberlin (1931-2014)

Ahnentafel Jonas Falkenrath




- **Print on one sheet:** shrinks the chart to the printer's paper.
- **Save as PDF (poster):** at original size, for the copy shop or for sharing.
- **Print sheets / Sheets as PDF:** the chart spread over A4 sheets, with an assembly plan (see Large print).
- **Save as PDF for the plotter:** at roll width.
- **Save as image (PNG):** for a website or image editing.
- Paged charts have **Print** and **Save as PDF** for all pages.

6.5 Large print

Montageplan: 6 Blätter A4 (3 Spalten × 2 Zeilen), Endmaß 81 × 30 cm

Blätter nach den Kennungen auslegen (A1 oben links). Jedes Blatt überlappt das Nachbarblatt um 1 cm – an den Schnittmarken beschneiden und kleben.



Under **Large print** you choose the size: original size, a **width in cm** or **On sheets** (columns × rows). The window shows the final size and the number of sheets, e.g. "final size 50 × 34 cm · 4 A4 sheets".

When printing sheets, the first page is the **assembly plan** with the labels A1, A2, B1, B2 ... Each sheet overlaps its neighbour by 1 cm: trim at the marks and glue together.

For the **plotter** choose the roll width (91.4 cm or your own) and whether the chart is fitted to the roll width; if it is wider, several strips are produced. The PDF then has exactly the page size of the roll.

Taufen und Paten - Familie Falkenrath

120 Einträge

02.03.1796 Hagedorn, Heinrich Christoph, Lüneburg

Paten: Johann Hinrich Thies, Halbhöfner, Engel Kahle, Ehefrau

11.09.1796 Oberlin, Heinrich Christoph, Suderburg

Paten: Anna Dorothea Thies, Ehefrau, Hinrich Rathmann, Häusling

11.09.1798 Kahle, Anna Catharina, Bad Bevensen

Paten: Friedrich Garbers, Kötnen, Margarethe Dierks, Ehefrau

16.05.1799 Garbers, Anna Margarethe, Bad Bevensen

Paten: Anna Catharina Gerdau, Ehefrau, Johann Hinrich Rathmann, Häusling

10.01.1802 Müller, Carl, Suderburg

Paten: Hans Jürgen Oetzmann, Anbauer, Engel Wiebe, Ehefrau

29.03.1802 Hinrichs, Friederike, Bienenbüttel

Paten: Anna Catharina Cordes, Ehefrau, Joachim Brammer, Halbhöfner

24.09.1802 Mohwinkel, Carl, Bienenbüttel

Paten: Claus Stegen, Brinksitzer, Magdalena Ohlhoff, Ehefrau

14.11.1802 Drewes, Carl, Uelzen

Paten: Jürgen Rathmann, Halbhöfner, Ilse Niebuhr, Ehefrau

11.01.1804 Falkenrath, Anna Margarethe, Eschede

Paten: Ilse Hartmann, Ehefrau, Christoph Lange, Leinweber

17.07.1804 Müller, Dorothee, Suderburg

Paten: Catharina Oetzmann, Ehefrau, Johann Christoph Bruns, Leinweber

27.12.1804 Garbers, Sophie, Bad Bevensen

Paten: Johann Christoph Peemöller, Tagelöhner, Anna Maria Bohlmann, Ehefrau

18.03.1805 Burmester, Sophie Dorothee, Ebsterf

Paten: Christoph Wöhler, Tagelöhner, Catharina Riebesell, Ehefrau

05.04.1805 Harms, Christian, Uelzen

Paten: Heinrich Christoph Wittkopf, Müller, Dorothea Lange, Ehefrau

03.06.1805 Harms, Johanne, Amelinghausen

Paten: Anna Maria Schneehage, Ehefrau, Christoph Eggers, Anbauer

03.04.1806 Eggers, Catharine Sophie, Eschede

Paten: Joachim Lange, Brinksitzer, Catharina Wiebe, Ehefrau

23.04.1806 Wichmann, Friedrich, Celle

Paten: Anna Dorothea Oetzmann, Ehefrau, Heinrich Christoph Soltmann, Krüger

27.04.1806 Winkelmann, Johann Heinrich, Dahlenburg

Paten: Jacob Dierks, Müller, Anna Margarethe Lange, Ehefrau

Erstellt mit wtTux am 27.09.2026 - Familie Falkenrath - 1

Ahnenwertung von Jonas Falkenrath

Gen.	Bezeichnung	möglich	bekannt	Anteil	davon doppelt
1	Proband	1	1	100,0 %	
2	Eltern	2	2	100,0 %	
3	Großeltern	4	4	100,0 %	
4	Urgroßeltern	8	8	100,0 %	
5	Urgroßeltern	16	16	100,0 %	
6	6. Generation	32	32	100,0 %	
7	7. Generation	64	64	100,0 %	2
8	8. Generation	128	71	55,5 %	4
Gesamt		255	198	77,6 %	

192 verschiedene Personen (Ahnenschwund abgezogen).

Erstellt mit wtTux am 27.09.2026 - Familie Falkenrath - 1

- **Ancestor list:** all ancestors by generation with Kekulé numbers, up to 12 generations; anyone appearing more than once refers to their first number (pedigree collapse).
- **End-of-line ancestors:** the ancestors where research ends, by the four grandparent lines.
- **Paternal line** and **Maternal line:** the father's or mother's line generation by generation, with spouses.
- **Ancestor completeness:** how completely each generation is researched, as a table with pedigree collapse.
- **Descendant list:** all descendants with numbers, spouses and marriages, up to 10 generations. Numbering after Saragossa, d'Aboville, Henry or serial.
- **Descendants per generation:** how many descendants there are in each generation: men, women, living, name bearers.
- **Person sheet:** all details of the central person on one page.

7.2 Across the whole tree

Namensliste - Familie Falkenrath

86 Familiennamen, 492 Personen

Familiennamen	Personen	Zeitraum	Orte
Ahlers	3	1960-1993	Lüneburg
Bartels	2	1859-1970	Celle
Behnke	7	1784-1990	Celle, Uelzen
Behrens	4	1898-2015	Celle
Bock	2	1933-2004	Lüneburg
Bostelmann	2	1798-1899	Eschede
Brammer	11	1790-1989	Lüneburg, Hannover, Bad Bevensen
Brandes	4	1803-1924	Celle
Brinkmann	1	1821-1903	Delbrück
Bruns	5	1774-1923	Dahlenburg, Amelinghausen, Ebsterf
Burmester	4	1776-1866	Ebsterf, Wietze, Celle
Cordes	10	1787-1958	Bad Bevensen, Suderburg, Uelzen
Dammann	3	1767-1869	Uelzen, Ebsterf, Amelinghausen
Drewe	5	1772-1947	Uelzen
Ebeling	5	1785-1966	Bergen, Hermannsburg, Celle
Eggers	10	1776-1923	Eschede, Celle, Beedenbostel
Falkenrath	42	1770-2020	Eschede, Celle, Milwaukee
Gaede	2	1813-2009	Hamburg, Dahlenburg, Amelinghausen
Garbers	9	1759-2021	Bad Bevensen, Eschede, Hannover
Gerdau	4	1804-1992	Uelzen, Beedenbostel, Eschede
Hagedorn	10	1771-1993	Lüneburg
Harms	9	1770-1932	Uelzen, Amelinghausen, Bienenbüttel
Hartmann	6	1770-1933	Amelinghausen, Lüneburg, Suderburg
Heitmann	2	1935-1987	Uelzen, Ebsterf
Hinrichs	7	1763-1991	Bienenbüttel, Ebsterf, Suderburg
Hoops	2	1786-1979	Amelinghausen, Celle, Eschede
Ilgner	12	1798-2019	Lüneburg
Jürgens	6	1785-1908	Lüneburg, Celle, Hanksenbüttel
Kahle	2	1771-1861	Bad Bevensen, Lüneburg, Suderburg
Kass	2	1925-1990	Uelzen
Keller	1	1933-2015	Milwaukee
Kleine	8	1813-1960	Delbrück, Paderborn, Lüneburg
Klingebiel	2	1795-1877	Lüneburg, Bienenbüttel, Dahlenburg
Kruse	1	1934-1934	Celle
Kröger	2	1780-1862	Winsen (Aller), Celle, Unterlüß
Krümml	12	1802-2011	Lüneburg, Amelinghausen
Köneck	1	1958-1958	Braunschweig
Lange	2	1776-1861	Celle, Dahlenburg, Amelinghausen
Lindgren	1	1896-1978	Milwaukee
Lüdemann	1	1899-1981	Uelzen
Lüders	8	1813-1955	Eschede, Celle
Lühmann	1	1951-2009	Hanksenbüttel, Uelzen
Marquardt	7	1807-1972	Lüneburg
Marwede	4	1957-2014	Celle, Uelzen
Meinecke	5	1799-1912	Celle
Meyer	15	1771-2018	Eschede, Bad Bevensen, Ebsterf
Meyerhof	2	1828-1931	Eschede
Miller	1	1960-1960	Milwaukee
Mohwinkel	17	1763-2017	Bienenbüttel, Lüneburg, Braunschweig
Müller	6	1766-1899	Suderburg, Bad Bevensen, Uelzen

Erstellt mit wtTux am 27.09.2026 - Familie Falkenrath - 1

Ortsliste - Familie Falkenrath

30 Orte

Familiennamen	Personen	Zeitraum
Amelinghausen		
Bruns	1	1823
Dammann	1	1767
Gaede	1	1886
Garbers	1	1878
Harms	2	1776-1862
Hartmann	4	1819-1925
Hoops	1	1786-1872
Jürgens	1	1873
Krümml	5	1802-1921
Lange	1	1839
Mohwinkel	1	1804
Ohlhoff	1	1892
Peemöller	1	1776
Pohmann	2	1834-1860
Rabe	1	1949
Riesessell	3	1812-1885
Schulze	6	1779-1934
Wiebe	1	1858
Wulf	1	1786
Bad Bevensen		
Brammer	1	1790
Bruns	1	1812
Cordes	6	1873-1958
Dammann	1	1869
Ebeling	1	1838
Garbers	5	1759-1855
Harms	1	1784
Kahle	2	1798-1829
Meyer	3	1789-1865
Müller	3	1839-1899
Oetzmann	1	1770
Schnehaage	2	1809-1906
Schröder	1	1848
Tödter	1	1782
Voss	1	1771
Wiebe	3	1787-1868
Wrede	2	1787-1848
Beedenbostel		
Burmester	1	1780
Eggers	1	1787
Garbers	1	1884
Gerdau	1	1925
Kröger	1	1862
Oetzmann	3	1785-1875

Bergen

Erstellt mit wtTux am 27.09.2026 - Familie Falkenrath - 1

Jahrestage - Familie Falkenrath

1063 Einträge

Januar			
01.01.1810	Heirat	Ebeling, Johann Hinrich = Schnehaage, Anna Dorothea	Bergen
01.01.1817	Geburt	Riesessell, Sophie Dorothee	Bienenbüttel
01.01.1832	Heirat	Oberlin, Heinrich Christoph = Tödter, Anna Maria	Hanksenbüttel
01.01.1867	Tod	Oetzmann, Joachim	Beedenbostel
01.01.1903	Tod	Brinkmann, Maria Anna	Delbrück
01.01.1950	Geburt	Brammer, Ursula	Hannover
01.01.1970	Tod	Bartels, Emma	Celle
02.01.1812	Geburt	Behnke, Georg	Celle
02.01.2010	Tod	Rathmann, Sabine	Eschede
03.01.1872	Tod	Falkenrath, Johann Heinrich	Eschede
03.01.1910	Tod	Kleine, Franz	Paderborn
04.01.1834	Tod	Hagedorn, Heinrich	Lüneburg
04.01.1904	Geburt	Ohlhoff, Heinz	Eschede
04.01.1974	Geburt	Oetzmann, Lea	Lüneburg
04.01.1978	Tod	Stegen, Gerhard	Eschede
05.01.2014	Tod	Wittkopf, Wolfgang	Eschede
06.01.1804	Geburt	Falkenrath, Anna Margarethe	Eschede
06.01.1868	Geburt	Krümml, Gustav	Amelinghausen
06.01.1901	Tod	Kleine, Wilhelm	Delbrück
06.01.1925	Geburt	Falkenrath, Elfriede	Celle
06.01.2005	Tod	Falkenrath, Helen	Milwaukee
07.01.1802	Heirat	Garbers, Jürgen = Garbers, Ilse	Suderburg
08.01.1782	Geburt	Tödter, Ilse	Bad Bevensen
08.01.1802	Geburt	Müller, Carl	Suderburg
08.01.1847	Geburt	Riesessell, Sophie	Amelinghausen
08.01.1914	Tod	Mohwinkel, Richard	Bienenbüttel
08.01.1959	Tod	Falkenrath, Otto	Eschede
09.01.1766	Geburt	Müller, Heinrich Christoph	Suderburg
09.01.1849	Geburt	Lüders, Wilhelmine	Eschede
09.01.1861	Tod	Schnehaage, Ludwig	Ebsterf
09.01.1969	Tod	Falkenrath, Heinrich	Celle
10.01.1841	Geburt	Riesessell, Dorothee	Amelinghausen
10.01.1855	Tod	Burmester, Wilhelmine	Celle
10.01.1869	Tod	Dammann, Ilse	Bad Bevensen
10.01.1897	Tod	Winkelmann, Hermann	Bienenbüttel
10.01.1922	Heirat	Stegen, Gerhard = Ohlhoff, Hedwig	Eschede
11.01.1790	Geburt	Rabe, Catharine Elisabeth	Suderburg
11.01.1986	Geburt	Wolnack, Tomasz	Bremen
12.01.1779	Geburt	Schulze, Heinrich Christoph	Amelinghausen
12.01.1839	Tod	Lange, Catharina	Amelinghausen
12.01.1863	Tod	Gerdau, Auguste	Uelzen
13.01.1823	Tod	Ebeling, Ilse	Wietze
14.01.1805	Tod	Garbers, Jürgen	Bad Bevensen
14.01.1855	Geburt	Meinecke, Ernst	Celle
14.01.1872	Heirat	Kleine, Franz = Rüther, Franziska	Paderborn
14.01.1879	Geburt	Oberlin, Walter	Uelzen
14.01.1897	Geburt	Ohlhoff, Elise	Eschede
14.01.1952	Geburt	Oetzmann, Renate	Lüneburg
15.01.1771	Geburt	Meyer, Catharina	Suderburg
15.01.1813	Geburt	Eggers, Louise	Eschede

Erstellt mit wtTux am 27.09.2026 - Familie Falkenrath - 1

Spitzennahmen von Jonas Falkenrath

95 Spitzennahmen - Vorfahren, deren Eltern nicht bekannt sind.

Linie des Großvaters väterlicherseits

66 Joachim Meinecke (7. Generation)

- * 7. August 1799, Celle, Niedersachsen, Deutschland
- † 12. September 1857, Celle, Niedersachsen, Deutschland

67 Sophie Lange (7. Generation)

- * 7. Februar 1816, Celle, Niedersachsen, Deutschland
- † 22. Oktober 1861, Celle, Niedersachsen, Deutschland

70 Georg Brandes (7. Generation)

- * 25. Dezember 1803, Celle, Niedersachsen, Deutschland
- † 27. November 1879, Celle, Niedersachsen, Deutschland

72 Georg Roskamp (7. Generation)

- * 11. Februar 1802, Celle, Niedersachsen, Deutschland
- † 11. Mai 1860, Celle, Niedersachsen, Deutschland

73 Sophie Dorothea Wiebe (7. Generation)

- * 14. Mai 1805, Celle, Niedersachsen, Deutschland
- † 5. Oktober 1881, Celle, Niedersachsen, Deutschland

76 Friedrich Lüders (7. Generation)

- * 17. September 1813, Eschede, Celle, Niedersachsen, Deutschland
- † 3. April 1895, Eschede, Celle, Niedersachsen, Deutschland

128 Hans Jürgen Falkenrath (8. Generation)

- * um 1770, Eschede, Celle, Niedersachsen, Deutschland
- † 11. Dezember 1831, Eschede, Celle, Niedersachsen, Deutschland

130 Johann Christoph Eggers (8. Generation)

- * 24. März 1776, Eschede, Celle, Niedersachsen, Deutschland
- † 17. Dezember 1858, Eschede, Celle, Niedersachsen, Deutschland

131 Anna Dorothea Oetzmann (8. Generation)

- * 14. Dezember 1776, Unterlüß, Celle, Niedersachsen, Deutschland
- † 5. Oktober 1828, Eschede, Celle, Niedersachsen, Deutschland

136 Jürgen Wichmann (8. Generation)

- * 14. August 1775, Celle, Niedersachsen, Deutschland
- † 20. Februar 1851, Celle, Niedersachsen, Deutschland

137 Dorothea Jürgens (8. Generation)

- * 14. Oktober 1785, Celle, Niedersachsen, Deutschland
- † 20. Dezember 1858, Celle, Niedersachsen, Deutschland

138 Hinrich Eggers (8. Generation)

- * 25. Februar 1787, Celle, Niedersachsen, Deutschland
- † 7. Februar 1845, Celle, Niedersachsen, Deutschland

139 Margarethe Kröger (8. Generation)

- * 15. April 1780, Winsen (Aller), Celle, Niedersachsen, Deutschland
- † 21. März 1843, Celle, Niedersachsen, Deutschland

142 Jürgen Burmester (8. Generation)

- * 23. Juni 1780, Beedenbostel, Celle, Niedersachsen, Deutschland
- † 9. Februar 1866, Wietze, Celle, Niedersachsen, Deutschland

143 Isabe Ebeling (8. Generation)

- * 24. März 1785, Celle, Niedersachsen, Deutschland
- † 13. Januar 1823, Wietze, Celle, Niedersachsen, Deutschland

148 Hans Jürgen Behnke (8. Generation)

- * 28. Januar 1784, Celle, Niedersachsen, Deutschland
- † 28. Oktober 1866, Celle, Niedersachsen, Deutschland

149 Catharine Elisabeth Harms (8. Generation)

- * 17. September 1784, Eschede, Celle, Niedersachsen, Deutschland

Erstellt mit wtTux am 27.09.2026 - Familie Falkenrath - 1

- **Event list:** births and deaths of all visible persons in date order; optionally as an anniversary calendar by month and day, with a place filter, e.g. for the family newsletter.

- **Surname list:** all surnames with count, period and the most frequent places.
- **Place list:** all places as written at the events – **places only** (events, individuals, period), **with surnames** or **with individuals** and their events there. **Place details** adds GOV identifier and coordinates from the place manager, **Notes** and **Sources** those of the location record.
- **Family list:** all marriages with wedding and number of children, alphabetical or chronological.
- **Sourced:** how well the tree is sourced – individuals and events with a source in percent, photos, per event type, and who has no source at all yet.
- **Occupations and religions:** who had which occupation or belonged to which religion.
- **Godparents:** all baptisms with their godparents in date order; with api4webtrees 1.11 or newer from the linked and the free-text godparents (“linked: 2 of 3” tells how many have their own record), otherwise from the note “Paten: ...”.

Lists across the whole tree need the tree in one piece; the server must run api4webtrees 1.9 or later. With the family tree on this PC that is always the case.

The preview shows the first pages; if there are more, “... and n more pages in the PDF” appears below. Each page carries “Created with wtWin on ...” at the bottom.

8 Books

Create › Create book ... turns the tree into a book in the style of printed local family books: every person with events, sources, godparents and notes, references to parents and children, portraits in the margin, table of contents and indexes.

8.1 Three books

Vorfahren von Jonas Falkenrath

1830 – 1985

Stand: 27.09.2026
Erstellt mit wTux am 27.09.2026 - Familie Falkenrath

Vorfahren von Jonas Falkenrath

5. Generation – Ururgroßeltern

16

Falkenrath, Carl, evangelisch-lutherisch, Zimmermann, * 19.11.1866 Celle (Quelle: Familienbibel Falkenrath), ~ 28.11.1866 Celle, † 04.03.1938 Celle, ⇨ 08.03.1938 Celle
Eltern: 32, 33; ⚭ 14.09.1893 Celle mit 17; Kinder: Marie ♀ (1894), Heinrich ♂ (1897) → 8, Wilhelm ♂ (1899), Martha ♀ (1902)



17

Wichmann, Dorothea, evangelisch-lutherisch, * 08.06.1870 Celle, ~ 12.06.1870 Celle, † 15.12.1949 Celle, ⇨ 20.12.1949 Celle
Eltern: 34, 35; ⚭ 14.09.1893 Celle mit 16



18

Roskamp, August, evangelisch-lutherisch, Gastwirt, * 30.01.1868 Celle, ~ 03.02.1868 Celle, † 12.08.1931 Celle, ⇨ 17.08.1931 Celle
Eltern: 36, 37; ⚭ 08.05.1896 Celle mit 19; Kinder: Ludwig ♂ (1898), Anna ♀ (1901) → 9, Pauline ♀ (1903)



19

Lüders, Sophie, evangelisch-lutherisch, * 14.04.1872 Eschede, ~ 22.04.1872 Eschede, † 09.02.1955 Celle, ⇨ 11.02.1955 Celle
Eltern: 38, 39; ⚭ 08.05.1896 Celle mit 18



20

Oberlin, Johann, evangelisch-lutherisch, Landwirt, * 23.05.1865 Uelzen, ~ 29.05.1865 Uelzen, † 01.11.1940 Uelzen, ⇨ 03.11.1940 Uelzen
Eltern: 40, 41; ⚭ 19.11.1891 Uelzen mit 21; Kinder: Heinrich ♂ (1895), Georg ♂ (1899) → 10



21

Drewes, Wilhelmine, evangelisch-lutherisch, * 16.10.1869 Uelzen, ~ 23.10.1869 Uelzen, † 28.01.1947 Uelzen, ⇨ 01.02.1947 Uelzen
Eltern: 42, 43; ⚭ 19.11.1891 Uelzen mit 20



22

Behnke, Otto, evangelisch-lutherisch, Sattler, * 15.02.1867 Uelzen, ~ 23.02.1867 Uelzen (Quelle: Kirchenbuch Uelzen), † 26.04.1937 Uelzen (Quelle: Standesamt Uelzen, Personenstandsregister), ⇨ 29.04.1937 Uelzen
Eltern: 44, 45; ⚭ 26.06.1901 Uelzen mit 23; Kinder: Frieda ♀ (1904) → 11



23

Cardes, Martha, evangelisch-lutherisch, * 08.09.1873 Bad Bevensen, ~ 17.09.1873 Bad Bevensen (Quelle: Kirchenbuch Bad Bevensen), † 18.03.1946 Uelzen (Quelle: Standesamt Uelzen, Personenstandsregister), ⇨ 23.03.1946 Uelzen
Eltern: 46, 47; ⚭ 26.06.1901 Uelzen mit 22



24

Häger, Ernst, evangelisch-lutherisch, Salinenarbeiter, * 11.03.1862 Lüneburg, ~ 16.03.1862 Lüneburg, † 20.09.1929 Lüneburg, ⇨ 22.09.1929 Lüneburg
Eltern: 48, 49; ⚭ 03.02.1890 Lüneburg mit 25; Kinder: Hermann ♂ (1895) → 12



25

Pohlmann, Auguste, evangelisch-lutherisch, * 02.12.1867 Lüneburg, ~ 08.12.1867 Lüneburg (Paten: Wilhelmine Jürgens, Ehefrau, Friedrich Gaede, Hofbesitzer), † 05.07.1943 Lüneburg, ⇨ 08.07.1943 Lüneburg
Eltern: 50, 51; ⚭ 03.02.1890 Lüneburg mit 24



- 6 -

Nachfahren von Johann Heinrich Falkenrath	
3. Generation – Enkel	
1.1.1	Meyerhof, Wilhelm , evangelisch-lutherisch, Hofbesitzer, * 30.01.1860 Eschede, ~ 08.02.1860 Eschede, † 12.12.1931 Eschede, ♂ 16.12.1931 Eschede Kind von 1.1
1.2.1	Falkenrath, Louise , evangelisch-lutherisch, * 02.05.1864 Celle, ~ 10.05.1864 Celle, † 19.11.1944 Celle, ♂ 24.11.1944 Celle Kind von 1.2 ≈ 16.10.1887 Celle mit Bartels, Hinrich (* 28.12.1859 Celle, † 10.02.1927 Celle); Kinder: Emma ♀ (1890) → 1.2.1.1
1.2.2	Falkenrath, Carl , evangelisch-lutherisch, Zimmermann, * 19.11.1866 Celle (Quelle: Familienbibel Falkenrath), ~ 28.11.1866 Celle, † 04.03.1938 Celle, ♂ 08.03.1938 Celle Kind von 1.2 ≈ 14.09.1893 Celle mit Wichmann, Dorothea (* 08.06.1870 Celle, † 15.12.1949 Celle); Kinder: Marie ♀ (1894) → 1.2.2.1, Heinrich ♂ (1897) → 1.2.2.2, Wilhelm ♂ (1899) → 1.2.2.3, Martha ♀ (1902) → 1.2.2.4
1.2.3	Falkenrath, Ernst , evangelisch-lutherisch, Zimmermann, später Baunternehmer, * 07.08.1869 Celle, ~ 12.08.1869 Celle, Auswanderung: Mit der „Fulda“ des Norddeutschen Lloyd 03.05.1888 Bremerhaven (Quelle: Familienbibel Falkenrath), Einwanderung: 17.05.1888 Milwaukee, Einbürgerung: 1894 Milwaukee, † 14.05.1941 Milwaukee Kind von 1.2 ≈ 22.08.1891 Milwaukee mit Steinbach, Clara (* 23.06.1870 Celle, † 09.10.1952 Milwaukee); Kinder: Walter ♂ (1892) → 1.2.3.1, Ernest ♂ (1895) → 1.2.3.2 <i>Ging als Neunzehnjähriger nach Amerika und holte 1891 seine Verlobte nach. Sein Bauunternehmen in Milwaukee bestand bis 1938.</i>
1.5.1	Falkenrath, Karl , evangelisch-lutherisch, * 02.08.1869 Eschede, ~ 05.08.1869 Eschede (Quelle: Kirchenbuch Eschede, Taufen und Trauungen 1760–1840), † 09.11.1869 Eschede, ♂ 13.11.1869 Eschede (Quelle: Kirchenbuch Eschede, Taufen und Trauungen 1760–1840) Kind von 1.5
1.5.2	Falkenrath, Frieda , evangelisch-lutherisch, Dienstmagd, * 28.08.1871 Eschede, ~ 06.09.1871 Eschede (Quelle: Kirchenbuch Eschede, Taufen und Trauungen 1760–1840), † 14.10.1929 Eschede (Quelle: Standesamt Eschede, Personenstandsregister), ♂ 17.10.1929 Eschede Kind von 1.5 ≈ 02.09.1893 Eschede mit Ohlhoff, Fritz (* 13.04.1873 Hermannsburg, † 22.06.1911 Eschede); Kinder: Frieda ♀ (1895) → 1.5.2.1, Elise ♀ (1897) → 1.5.2.2, Hedwig ♀ (1900) → 1.5.2.3, Heinz ♂ (1904) → 1.5.2.4
1.5.3	Falkenrath, Friedrich , evangelisch-lutherisch, * 24.08.1874 Eschede, ~ 28.08.1874 Eschede (Quelle: Kirchenbuch Eschede, Taufen und Trauungen 1760–1840), † 12.05.1874 Eschede, ♂ 15.05.1874 Eschede (Quelle: Kirchenbuch Eschede, Taufen und Trauungen 1760–1840) Kind von 1.5
- 6 -	
Familienbuch Familie Falkenrath	
5	Behnke, Johann Heinrich <3>, evangelisch-lutherisch, Hofbesitzer, * 08.11.1842 Celle, ~ 15.11.1842 Celle (Paten: Christian Harms, Landwirt, Henriette Brammer, Ehefrau) (Quelle: Kirchenbuch Celle), † 13.04.1903 Uelzen (Quelle: Standesamt Uelzen, Personenstandsregister), ♂ 18.04.1903 Uelzen Bruder von Catharine Roskamp geb. Behnke: Jonas stammt über zwei Linien von ihren Eltern ab (Ahnenchwand). ≈ 04.12.1866 Uelzen (Quelle: Kirchenbuch Uelzen) Gerdau, Catharine <4>, evangelisch-lutherisch, * 17.08.1843 Uelzen, ~ 21.08.1843 Uelzen (Paten: Marie Dierks, Ehefrau, Johann Heinrich Heitmann, Förster) (Quelle: Kirchenbuch Uelzen), † 22.11.1905 Uelzen (Quelle: Standesamt Uelzen, Personenstandsregister), ♂ 26.11.1905 Uelzen 1. Otto ♂, * 15.02.1867 Uelzen, † 26.04.1937 Uelzen [6]
6	Behnke, Otto <5>, evangelisch-lutherisch, Sattler, * 15.02.1867 Uelzen, ~ 23.02.1867 Uelzen (Quelle: Kirchenbuch Uelzen), † 26.04.1937 Uelzen (Quelle: Standesamt Uelzen, Personenstandsregister), ♂ 29.04.1937 Uelzen ≈ 26.06.1901 Uelzen (Quelle: Standesamt Uelzen, Personenstandsregister) Cordes, Martha <20>, evangelisch-lutherisch, * 08.09.1873 Bad Bevensen, ~ 17.09.1873 Bad Bevensen (Quelle: Kirchenbuch Bad Bevensen), † 18.03.1946 Uelzen (Quelle: Standesamt Uelzen, Personenstandsregister), ♂ 23.03.1946 Uelzen 1. Frieda ♀, * 18.02.1904 Uelzen, † 06.09.1990 Uelzen [92]
7	Behrens, Günter <8>, evangelisch-lutherisch, Elektriker, * 11.08.1931 Celle, † 27.01.2009 Celle ≈ 19.09.1956 Celle Kruse, Ingrid , evangelisch-lutherisch, Verkäuferin, * 04.05.1934 Celle 1. Petra ♀, evangelisch-lutherisch, Floristin, * 14.06.1958 Celle
8	Behrens, Karl , evangelisch-lutherisch, Postschaffner, * 08.05.1898 Celle, ~ 13.05.1898 Celle, † 21.03.1970 Celle, ♂ 26.03.1970 Celle ≈ 03.07.1926 Celle Falkenrath, Martha <38>, evangelisch-lutherisch, Näherin, * 14.02.1902 Celle, ~ 17.02.1902 Celle, † 30.09.1988 Celle 1. Hildegard ♀, evangelisch-lutherisch, Buchhalterin, * 20.03.1928 Celle, † 08.12.2015 Celle 2. Günter ♂, * 11.08.1931 Celle, † 27.01.2009 Celle [7]
9	Bock, Manfred , evangelisch-lutherisch, Konditormeister, * 01.04.1933 Lüneburg, † 15.11.2004 Lüneburg <i>Führte die Bäckerei Krümmel nach dem Tod des Schwiegervaters unter eigenem Namen weiter.</i> ≈ 07.05.1960 Lüneburg Krümmel, Ilse <70>, evangelisch-lutherisch, Bäckereifachverkäuferin, * 23.09.1936 Lüneburg 1. Andrea ♀, Konditorin, * 02.03.1962 Lüneburg
10	Bostelmann, Jürgen Hinrich , evangelisch-lutherisch, Köhner, * um 1798 Eschede, † 30.05.1866 Eschede, ♂ 01.06.1866 Eschede ≈ 11.11.1827 Eschede (Quelle: Kirchenbuch Eschede, Taufen und Trauungen 1760–1840) Falkenrath, Anna Margarethe <32>, evangelisch-lutherisch, * 06.01.1804 Eschede (Quelle: Kirchenbuch Eschede, Taufen und Trauungen 1760–1840), ~ 11.01.1804 Eschede (Paten: Ilse Hartmann, Ehefrau, Christoph Lange, Leinweber), † 12.03.1871 Eschede, ♂ 15.03.1871 Eschede 1. Heinrich ♂, evangelisch-lutherisch, Köhner, * 14.08.1832 Eschede, ~ 23.08.1832 Eschede, † 02.02.1899 Eschede, ♂ 04.02.1899 Eschede
- 4 -	

- **Ancestor book:** all ancestors of the central person by generation and Kekulé number, with dates, baptisms, burials, sources and notes. The four grandparent lines optionally coloured in the margin.
- **Descendant book:** all descendants generation by generation, with spouses, children and references; numbers after Saragossa, d'Aboville, Henry or serial; branch colours per child of the root couple.
- **Family book:** one entry per family, alphabetical or chronological. With layout “per person” it becomes the person report: one entry per person with parents, marriages and children as pointers, indexes on person numbers. Also, one entry per family, alphabetical or chronological. With a **place filter** it becomes a local family book. Needs the whole tree in one piece (api4webtrees 1.9 or later on the server). **Houses and farms** (api4webtrees 1.15 or later) adds a section on the buildings: every farm and house of the place from the place manager (location records with a type below the place) with its history and its residents and owners in order of time, each pointing to the family; the families point back to their house (H1, H2 ...). What counts as a house is decided by the type in the location record (house, farm, mill, church ...; without a type, a house number in the name counts); parts of town and villages become chapters, places with residents that are not buildings go into the appendix “Other places”. If the location record carries a GOV type number (GEDCOM-L 2_GOVTYPE, api4webtrees 1.18.1 or later), that number decides before the text: farm, building, mill, estate, church ... are houses, village, part of town, municipality ... are levels above. The options “Only houses and farms” and “Include places without a type” control this. Place names may be separated by commas or semicolons.

8.2 Settings

- **Data:** generations (2 to 12), notes, sources, shorten place names, show duplicate ancestors in full (instead of “see no.”).

- **Living people:** for publishing, living people appear in full, with their name only or not at all; living means webtrees treats them as living or they are younger than the age limit (80 to 120 years). Family book and person report only.
- **Preface from file ...** reads a text file into the preface; **Save template .../Load template ...** keeps book type and all settings as a `.wtbuch` file, for instance per place.
- **Appearance:** pictures, colour coding, preface (your own text on the first page), chart as fold-out page (A3, PDF only).
- **Indexes:** names, places, occupations, sources, each pointing to the entry numbers.


8.3 Saving

Vorfahren von Jonas Falkenrath

Ortsverzeichnis

Amelinghausen	
Bruns	57
Hartmann	51
Krömmel	28, 56
Pohlmann	50
Riebesell	59
Schulze	55
Bad Bevensen	
Carde	23, 46
Müller	53
Schneehage	47
Bienenbüttel	
Mohrwinkel	27, 54
Riebesell	59
Schulze	55
Winkelmann	29, 58
Celle	
Behnke	37, 44
Brandes	35
Falkenrath	2, 4, 8, 16, 32
Lüders	19
Meincke	33
Oberlin	5
Roskamp	9, 18, 36
Wichmann	17, 34
Dahlenburg	
Bruns	57
Delbrück	
Kleine	62
Elbstorf	
Schneehage	47
Wulf	41
Eschede	
Falkenrath	32
Lüders	19, 38
Plate	39
Hannover	
Falkenrath	1
Hermannsburg	
Plate	39
Langemark	
Falkenrath	8
Lüneburg	
Brammer	61
Hagedorn	15, 30, 60
Hartmann	51
Ilgner	3, 6, 12, 24, 48
Kleine	31

- 13 -



Nachfahren von Johann Heinrich Falkenrath

1801 – 1947

Stand: 27.09.2026
Erstellt mit wftw am 27.09.2026 - Familie Falkenrath

Save book asks for the format:

- **PDF** with bookmarks and links (a click on "see no." jumps to the entry).
- **DOCX** for further editing in Word or LibreOffice. Update the table of contents there once: click it and press F9 (LibreOffice: Tools > Update > Indexes and Tables).
- **Website:** a folder to upload – start page with preface and tiles, all entries on one page with a letter bar, every entry also as a page of its own with browsing, houses, indexes as pages, stylesheet and pictures as files. Set living people to "name only" first.
- **HTML** for a website, **TeX** for typesetting with LaTeX, **Text**.

For large trees, loading persons and pictures takes a moment; the window shows the progress.

8.4 Large trees with many pictures

webtrees renders every thumbnail on the server when it is first requested – with thousands of people the first run takes a while. wtWin loads only the main picture per person, six at a time, shows the progress (“Pictures 2,340/8,900 – from this PC ..., cache ..., server ...”) and can be stopped with **Continue without the remaining pictures**. Whatever has been loaded once stays in the cache on this PC (`~/.cache/app4webtrees/medien/<server>/<tree>/` , on Windows in the application data folder); the next run and the charts afterwards need nothing from the server. The book dialog shows the cache size and **Clear picture cache** under Appearance.

If you keep a copy of the webtrees media folder on this PC (for example because you upload by FTP), enter it as **Media folder on this PC**: pictures are then read from there and scaled locally, without the server. Everyone else leaves the field empty. webtrees always remains the source; the cache and the folder are copies only.

Visibility: Choose who the book is for: everything (manager view), what members may see, or what visitors may see. The book then leaves out what webtrees hides from that reader – restricted events (“Show to members”, “Show to managers”), data covered by the tree’s privacy rules, godparents and families the reader may not see, and the life data of living people; their names stay only if the tree shows living names to that reader, otherwise “Private” appears. Members therefore see more than visitors, but nothing shown only to managers. This way a book can be passed on even when a manager creates it. The website always contains only what visitors may see. Needs api4webtrees 1.21 or later.

9 Plausibility check

Tools > Plausibility check ... (Ctrl+Shift+P) or the **Check** icon checks the whole tree, as far as you may see it, with 77 rules. **Errors** are contradictions in the data (death before birth, own ancestor), **warnings** are unusual but possible (very young mother, godparent already dead, possible duplicate, place variant). With api4webtrees 1.11 or newer the godparent rules (024, 126) use the linked godparents and witnesses directly and look up free-text ones by name; with an older module they read the note “Paten: ...”.

Voreinstellung

Ausgewogen

☒ Fehlende Geburt und fehlenden Tod aus Taufe und Begräbnis schätzen

Alle Treffer

24

Chronologie

☒ 010 Stirbt jemand vor seiner Geburt?

7

☒ 011 Heiratet jemand vor seiner Geburt?

0

☒ 012 Heiratet jemand nach seinem Tod?

0

☒ 013 Wird ein Kind vor seiner Mutter geboren?

0

☒ 014 Wird ein Kind vor seinem Vater geboren?

0

☒ 015 Wird ein Kind nach dem Tod der Mutter geboren?

0

☒ 016 Wird ein Kind später als die Grenze nach dem Tod des Vaters geboren?

1

☒ 017 Wird ein Kind mehr als die Grenze vor der Ehe der Eltern geboren?

0

☒ 018 Gibt es Daten, die es nicht gibt (31. April, 30. Februar ...)?

0

☒ 019 Liegt ein Datum in der Zukunft?

0

☒ 020 Wird jemand vor seiner Geburt getauft?

0

☒ 021 Wird jemand vor seinem Tod begraben?

0

☒ 022 Ist das Geburtsdatum gleich dem Heiratsdatum?

0

☒ 023 Stehen die Kinder einer Familie nicht in Geburtsreihenfolge?

0

☒ 024 Ist ein Pate oder Zeuge beim Ereignis schon tot oder noch nicht geboren?

3

Prüft den ganzen Stammbaum, soweit du ihn sehen darfst. Fehler sind Widersprüche in den Daten, Warnungen sind ungewöhnlich, aber möglich. Klick zeigt die Person, Doppelklick öffnet das Personenblatt, der Stift das Ereignis, der Haken hakt einen Treffer ab – er kommt nur wieder, wenn sich die Daten ändern.

Abgehakte sichern ...

Abgehakte laden ...

Plausibilitätsprüfung – Familie Falkenrath

24 Treffer, davon 8 Fehler · 492 Personen und 154 Familien geprüft

010

Plate, Henriette (1844–1844) I307

* 21. Juni 1844 † 11. Juni 1844

010

Schnehage, Emma (1861–1861) I319

* 10. August 1861 † 17. April 1861

010

Ilgnier, Louise (1836–1836) I321

* 16. August 1836 † 12. April 1836

010

Hagedorn, Heinrich (1834–1834) I340

* 26. Juli 1834 † 4. Januar 1834

010

Brammer, Louise (1853–1853) I342

* 20. Oktober 1853 † 8. Februar 1853

010

Brammer, Henriette (1825–1825) I370

* 19. Dezember 1825 † 16. Oktober 1825

010

Falkenrath, Friedrich (1874–1874) I376

* 24. August 1874 † 12. Mai 1874

016

Müller, Auguste (1841–1899) I329 · F75

* 14. September 1841 † Vater 11. September 1840

024

Hagedorn, Luise (1888–1967) I294

Taufe 13. April 1888: Wilhelmine Mohwinkel † 27. Oktober 1880

024

Ohlhoff, Charlotte (1813–1814) I368

Taufe 10. Dezember 1813: Jacob Garbers † 12. Oktober 1804

024

Pohlmann, Auguste (1867–1943) I47

Taufe 8. Dezember 1867: Wilhelmine Jürgens † 18. Januar 1867

124

Hagedorn, Wilhelm (1885–1971) I293 · F55

* 22. Januar 1885, 15 J nach August Hagedorn * 11. Oktober 1870

124

Roskamp, Friedrich (1846–1916) I301 · F60

* 16. September 1846, 15 J nach Johann Friedrich Roskamp * 9. November 1831

124

Gerdau, Auguste (1860–1863) I315 · F67

* 27. Mai 1860, 17 J nach Catharine Gerdau * 17. August 1843

223

Garbers, Jürgen (1764–1805) I260 · F117

Garbers

223

Rathmann, Herbert (1938–2017) I410 · F140

Rathmann

224

Falkenrath, Frieda (1876–1949) I377 · F119

Frieda: * 28. August 1871 († 14. Oktober 1929), * 14. August 1876

224

Oetzmann, Renate (1952–1997) I418 · F128

Renate: * 24. Januar 1943 († 4. März 2022), * 14. Januar 1942

Neu prüfen

Drucken

Als PDF speichern ...

Schließen

9.1 Rules and limits

The rules are grouped on the left: **Chronology**, **Age limits**, **Structure**, **Names**, **Sources**, **Places**, **Form**. The Form group checks the structure of a GEDCOM file (links, date format, required entries); in wtWin only those of its rules apply that are visible in the tree. To check a file with all rules, including GEDCOM 7, use **Tools > Check GEDCOM file** A click on a rule shows only its findings, **All findings** shows everything again.

- **Preset:** from strict to generous; “Sources” additionally enables rules 420 and 421 (events and individuals without a source). As soon as you change something it becomes “Own settings”.
- **Per rule:** **limit** (years or months, the default is shown), **severity** (error or warning), or switch the rule off.
- **Estimate:** derive missing birth and death from baptism and burial so that the age rules apply.

- All rules and limits as default resets, **Check again** recalculates with the current settings.

9.2 Working with findings

Each finding names the person, the rule and the details concerned.

- A click on the finding opens the person; **Edit event** changes the date or place directly from the finding (with edit rights).
- **Tick as checked:** findings you have checked and that stay as they are (e.g. a documented late birth) disappear from the list. **Show ticked** brings them back, **Reopen** removes the tick.
- The tick list is stored on this PC, separately per server and tree. **Save ticked ...** and **Load ticked ...** exchange it as a file, e.g. with a fellow researcher or for a second computer.

9.3 Printing

Print and **Save as PDF ...** output the current list of findings with a summary. The line above says how many persons and families were checked and how many findings are errors.

10 webtrees in the browser

wtWin is a window to webtrees, not a replacement. Administration of the tree stays on the webtrees site, and the program takes you there with one click.

10.1 The webtrees menu

The entries open the matching webtrees page in the browser; sign in there if asked.

- **Places and Sources:** the lists of the tree.
- **Merge records, Find duplicates, Check tree, Data fixes:** the administration tools (tree managers only).
- **Export GEDCOM and Import GEDCOM** (managers only).

10.2 A person in the browser

File > Open webtrees in browser opens the current person (or the home page); **Person > Open in webtrees** and the right-click menu do the same. On the person sheet, **Edit in webtrees** leads straight to the person page.

10.3 What stays in webtrees

- Users, rights, privacy settings and approvals
- Modules, site design, site language
- Changing names, creating and linking sources and media objects, editing notes
- Server backups

10.4 Changes made in the program

What you change in wtWin is in webtrees immediately, under your account and its rights. If the tree is set to "accept changes automatically", they apply at once; otherwise they wait as pending changes for a moderator. Moderators see pending changes in the **Home** section and accept or reject them there. **F5** reloads the tree after you changed something in the browser.

11 Archive

If the **Sammlungen** module runs on the server, **View > Archive** (Ctrl+9) or the **Archive** icon opens its archive in a window of its own. The **family tree on this PC** (chapter 12) already includes the module. The archive holds more than the family tree: photos and documents need not be attached to anyone. Who may see and change what is decided by webtrees and its user rights.

11.1 Layout

- **On the left** the collections: archive folders, thematic collections, collections by media type and the media not attached to any person. Below that you see how many files belong to the free holdings, meaning nothing in the family tree points to them. That is intended, not a flaw.
- **In the middle** the files of the chosen collection as a grid, switchable between three sizes at the top. The badge on a picture gives the number of linked people, **GEDCOM** means a media object without a person, **free** means file only.
- **On the right** the details of the chosen file: description, date, people and keywords from the file, collections, size, path and who in the family tree is linked to it. A click on a name makes that person the central person.

Drag the dividers to set the column widths; wtWin remembers them.

11.2 Working with it

A click selects a file, **Ctrl+click** adds more, **Shift+click** a whole range, **Ctrl+A** all of them. Use the arrow keys, **Home** and **End** to move through the grid; **Enter** or a double-click opens: pictures in the viewer, PDFs in the PDF viewer, everything else in the browser.

The **right-click** offers: Open, Edit details, Copy path (also Ctrl+C), Save copies to a folder and Open in webtrees. Saving copies fetches the originals to this PC; existing files are not overwritten.

11.3 Adding files

Anyone allowed to upload media in webtrees adds files with **Add files ...** or drags them from the file manager into the window. Folder and thematic collection are preset to the open collection. Description, date, people and keywords are optional and are written into images only (XMP).

wtWin uploads the original and shrinks nothing. A file larger than the server accepts is skipped and named. The limit is set by the server (PHP `upload_max_filesize`). Afterwards the files are attached to no one. To attach one to a person, a source or a place, use **Existing media > From the archive** on the **Media** tab.

11.4 Editing details

Managers of the family tree change the description, date, people and keywords of a picture via the right-click, the button on the right or the pencil in the viewer. The module writes the details into the file itself.

11.5 Faces on group photos

23 Gesichter

☐ Gesicht markieren

Mit der Maus über ein Gesicht fahren zeigt den Namen. Ein Klick auf einen Namen in der Liste macht die Person zum Probanden.

unbekannt	
Ludwig Roskamp	179
Else Reinecke	180
Georg Oberlin	128
Frieda Behnke	129
Karl Behrens	172
Hermann Lüders	1274
Martha Cordes	1105
Dorothee Lüders	1305
Hinrich Bartels	163
Wilhelmine Drewes	145
Johann Oberlin	144
Wilhelm Niebuhr nicht im Stammbaum	
Walter Roskamp	1273
Wilhelm Roskamp	1271
Otto Behnke	1104
Johanne Brandes	1300
Carl Falkenrath	139
Dorothea Wichmann	140
Heinrich Falkenrath	121
Anna Roskamp	122

Die Rahmen werden in der Bilddatei selbst gespeichert (XMP). Ein Gesicht zuordnen hängt das Bild nicht an die Person.

Schließen Speichern

Right-click a picture › **Faces ...** shows it large with all marked faces. Hovering shows the name at the frame; on the right the list goes row by row from the left, and a click on a name makes that person the central person. Managers tick **Mark a face**, drag a frame around a face and assign it: to a person in the family tree, to a name only (someone known but without a record) or to “unknown”. Move a selected frame by dragging it, resize it at the yellow handle, **Del** removes it. The frames are stored in the image file itself (XMP); other programs such as digiKam read them too. The picture is not attached to the person – unless you tick **Also attach the picture to the chosen person** in the assign dialog. In the person sheet, the **Media** tab lists under **On group photos** every picture on which the person is marked.

11.6 Postcards

In a postcard collection, front and back are one entry (sign ♡). On the right **Turn over**, below that motif, transcription and note; an inferred date shows as “c. 1916”. A double-click shows both sides in the viewer; **R** or ♡ turns a picture written crosswise by 90 degrees for reading, **Shift+R** back (view only, nothing is saved). **Edit postcard ...** changes motif, transcription, note and date; the module writes both sides and leaves unchanged fields as they are.

11.7 Managing collections

Administrators create a collection with + **New collection**: name, description, media folder (or none – then it is an album you fill with single pictures), display type, symbol, colour, order, visible. Right-click a collection: **Edit collection ...**, **Hide/Show**, **Delete collection ...** (the files stay). Hidden collections appear faded under “hidden”. Right-click pictures: **Thematic collections ...** (a tick per album, takes effect at once, also for several selected pictures), **Remove from this collection** and **Rename ...** (same folder, same extension; a media object in the family tree follows). **Archive settings ...** sets the cache duration and page size and clears the cache. Who may do what is decided by the module.

11.8 Comparison with webtrees

For pictures that are media objects in the family tree, the right column shows where file and webtrees differ: description against title, people in the file against the linked ones. → **copy into the file** writes the webtrees value into the file; the family tree does not change.

11.9 Backing up

In the family tree on this PC, **File > Back up family tree and archive ...** saves everything into one ZIP file: the database with family trees and collections, and the whole media folder including the free holdings. A GEDCOM or GEDZIP file only takes the files the family tree points to. To restore, quit wtWin and put the **data** folder from the ZIP file into the webtrees folder (where that is, see **family tree on this PC** (chapter 12)).

On a server, the server does the backup, for example nas4webtrees or your web host.

12 Family tree on this PC

Without a server, wtWin creates the family tree on this computer. In the background runs a complete webtrees with bundled PHP, unchanged from the official release. It is reachable only on this PC, starts with the program and stops with it. You see no server and no password; the program signs in by itself.

12.1 Creating

On first start, on the right: enter a name and click **Create family tree (empty)** or **Import from GEDCOM file** To move over from another program, export a GEDCOM file (`.ged`) there and choose it here. Persons, families, events, sources and notes are imported. The GEDCOM file itself stays unchanged; a second import creates another tree next to it and never overwrites.

The file may be UTF-8 (with or without byte order mark), UTF-16, ANSEL or ANSI; the character set is detected and converted as in the webtrees import. Single unusable records (such as duplicate IDs) are skipped and listed in `import.log` , the rest is imported.

Photos do not come along from the GEDCOM. Add them in the program, or copy them into the media folder later (see below) and link them in webtrees.

12.2 Several family trees

File > Family trees on this PC ... lists all trees with their number of people. There you can open one, rename it (change the title, then the tick or Enter) or delete it (never the last one), add another empty tree or import another GEDCOM file. Empty leftovers of earlier failed imports – only the webtrees sample person “John Doe” – are removed automatically at start-up; a tree you created empty yourself is kept.

12.3 Where the data is

System	Folder
Windows	<code>%LOCALAPPDATA%\app4webtrees</code> (type it into the Explorer address bar)
Linux	<code>~/.local/share/app4webtrees</code>

Inside are `webtrees/` with the program and `webtrees/data/` with the database (SQLite) and the media folder `media/` . The PHP server’s log is `php.log` . What wtWin itself notices (dropped connections, retries, server restarts) is written to `wtwin.log` next to it.

12.4 Archive

The family tree on this PC comes with the **Sammlungen** (collections) module: photos and documents live as folders under `data/media`, need not be attached to individuals, and appear under **Photos > Archive** as well as in webtrees in the browser. Parish register scans from the archive can be assigned as a source or citation in the source manager.

12.5 Backup

The program does not back up automatically. Three ways:

- **File > Back up family tree and archive ...** puts the database and the media folder, free holdings included, into one ZIP file, even while the program is running (see [Archive](#) (chapter 11)).
- With wtWin closed, copy the folder `app4webtrees`, e.g. to a USB stick. That is the complete backup including photos.
- **File > Save as GEDCOM ...** writes the tree as a GEDCOM file, with all details including living people. A file name ending in `.gdz` gives a GEDZIP with the pictures. That is the way into another program, an online local heritage book or GEDBAS.

12.6 Everything from webtrees

File > Open webtrees in browser shows your webtrees in the browser: control panel, modules, changing names, creating sources. The browser asks for its own sign-in. The user name is your login name on the PC; the password was generated randomly when the tree was created and stored in the file `zugang.properties` in the folder `app4webtrees` (see above). Open the file with a text editor and copy the password. Do not pass it on; it is the manager login to your tree.

12.7 Moving to a NAS or web host

If the family should read along or you work on two computers, the tree moves to a server, e.g. a Synology with nas4webtrees. Afterwards you use wtWin as before, just connected.

1. In wtWin **Open webtrees in browser**, there **Control panel > Family tree > Export as GEDCOM**.
2. Photos: copy the folder `webtrees/data/media` (see above) to `data/media` of the webtrees on the server.
3. On the server create a new tree and import the GEDCOM.
4. In wtWin **File > Sign out, Other address**, enter the server address. Or click **Connect with wtWin** on the server's **App** page.

The tree on the PC is kept until you delete the folder.

12.8 If something goes wrong

If the tree cannot be created, the program shows a message with the path to `php.log`. Please report it at github.com/thobgg/app4webtrees/issues and attach the file, and when importing a GEDCOM file also `import.log` from the same folder (character set, skipped records, reason for failure). **Help** > **About wtWin** shows whether PHP and webtrees were found.

“Connection ... interrupted”: If the connection to the family tree on this PC drops although webtrees works in the browser, another program is usually filtering wtWin’s network traffic – ad blocking or web protection, also the real-time protection of a virus scanner. An exception for wtWin (`%LOCALAPPDATA%\Programs\wtWin\wtWin.exe`) in that program usually helps. What wtWin notices is written to `wtwin.log`.

Start person: If a family tree on this PC has no start person yet, the program asks once when opening it: “Who should the family tree start with?” – search for the person and click. The choice becomes the family tree’s default individual; change it under **Person** > **Set as start person** ...

13 Keyboard shortcuts

13.1 Main window

Key	Action
F1	Help
F5	Reload tree
Ctrl+F	Go to (find person)
Ctrl+E	Person sheet
Ctrl+N	Add relative
Ctrl+Enter	Selected person as central person
Alt+Home	Start person
Alt+Left / Alt+Right	Back / forward in history
Ctrl+D	Bookmark / remove bookmark
Ctrl+B	Bookmarks
Ctrl+C, Ctrl+Shift+C	Copy person text, with ID (Ctrl+C only outside input fields; also by right-clicking a person; the same in the person sheet, where right-clicking an event also copies the row)
Ctrl+P	Print person sheet
Ctrl+T	Descendant chart
Ctrl+Shift+T	Ancestor chart
Ctrl+Shift+P	Plausibility check
Ctrl+1 / Ctrl+2 / Ctrl+3	Section Home / Tree / Photos
Ctrl+4	Person table
Ctrl+5	Sources
Ctrl+6	Places
Ctrl+7	Tasks
Ctrl+8	Recent changes
Ctrl+9	Archive
Ctrl+Q	Quit

13.2 Navigator

Key	Action
Right arrow / Shift+Right arrow	To the father / to the mother
Left arrow	To the first child of the partnership shown
Up arrow / Down arrow	Previous / next sibling
Tab	Next partnership
Enter	Open the person sheet

13.3 Family view

Key	Action
Up arrow / Shift+Up arrow	To the father / to the mother
Down arrow	To the first child of the tab shown
Left arrow / Right arrow	Previous / next sibling
Tab	Next tab (partnership)

13.4 Person sheet

Key	Action
Page Up / Page Down	Previous / next person in the list
Ctrl+Home / Ctrl+End	First / last person
Double-click on a row	Edit event
Esc	Close

13.5 Chart preview

Input	Action
Mouse wheel	Zoom around the pointer
Drag	Pan
Click	Whole sheet / reading size
Right-click on a box	Colour or hide the branch
Esc	Close window


13.6 Navigator and tree

Input	Action
Click	Person becomes central person
Double-click	Person sheet
Right mouse button	As central person, edit, bookmark, open in webtrees
Mouse wheel (tree in the centre)	Zoom

Esc closes every window, including this help. The shortcuts are also shown in the menus next to the entries.

14 Questions, errors, privacy

14.1 Reporting questions and errors



wtWin, wtTux, wtMac and wtAnd are not official webtrees products. Please do not ask in the webtrees forum, but open an issue at github.com/thobgg/app4webtrees/issues. Helpful: the version from **Help > About wtWin** (with build number), Windows or Linux, and what you were doing when it happened. For the family tree on this PC also the file `php.log` (see [Family tree on this PC](#) (chapter 12)).

New versions appear at github.com/thobgg/app4webtrees/releases. The Windows file is not signed, so Windows warns about an unknown publisher on first start (“More info”, then “Run anyway”).

14.2 What the program stores

- Server address, user name and the session cookie, **never the webtrees password**. Only the credentials of a directory protection (if entered) stay on the PC, they have to go with every request.
- Your settings (layout, appearance, chart and list settings, colour rules, tick list of the check) on this PC.

- For the family tree on this PC: the whole tree in the folder `app4webtrees` including the login to the local webtrees.
- No analytics, no advertising, no sharing.

14.3 Privacy in the tree

The program signs in with your webtrees account; every request runs as this user. The same rules apply as on the website: living persons, locked records and private trees are visible only if webtrees allows it. Output (charts, lists, books, PDF) contains only what you may see.

14.4 Unencrypted on the home network

An `http://` address is accepted only on the home network (private addresses like 192.168..., names like `diskstation` or `.local`). The connection is then unencrypted, which is fine at home. To reach the tree while away, the server needs HTTPS; nas4webtrees provides the instructions.

14.5 Phone and tablet

For Android there is **wtAnd**, the same family with the same data: tree, photos, editing, anniversaries. A QR code on the webtrees **App** page connects the phone without typing. wtAnd needs a server; the family tree on this PC is reachable only on the PC.

14.6 Update check

Once a day, at start, the program asks `wtwin.bgg-home.de` for the current version number – a small text file, nothing else. Nothing is sent except that request: no family tree, no identifier, no usage. If a newer version exists, the status bar shows “Version 1.52 is available – Download”; a click opens the download page, × skips this version. Without network nothing happens. Switch off: **Help** > **Check for updates**; check by hand: **Help** > **Check for updates now** An update is only installing over the old one; settings, login and the tree on this PC stay.

14.7 Licence

wtWin is licensed under the GPL-3, like webtrees. The family tree on this PC contains webtrees unchanged from the official release (webtrees.net).

14.8 Full manual

With pictures and current notes: **wtwin.bgg-home.de** (button at the bottom of this window).